



PERKCO

BOOKLET
53




PERKINS MARINE LAMP CORP.
1943 PITKIN AVENUE BROOKLYN, N. Y.





A Diagram That Shows a Few of the Many Reasons Why "Perko" De-Lite Lights Are the Most Practical and Desirable of All Marine Running Lights



"PERKO" DE-LITE LIGHTS ARE PATENTED AND OTHER PATENTS PENDING
NONE GENUINE WITHOUT THE "PERKO" TRADE MARK



"Perko" De-Lite Running Lights

EQUIPPED WITH THE PATENTED HINGED FRONT DOOR, AN EXCLUSIVE FEATURE. GALVANIZED BODIES ARE MADE FROM HEAVY BLACK SHEET IRON, BRACKETS RIVETED ON AND THEN ENTIRELY HOT GALVANIZED.

ALL DOORS for brass or galvanized lamps are solid brass and stamped in one piece.

OIL FOUNT, all brass with solid bottom, soldered at top, leak-proof, screw type, will not rattle.

ELECTRIC SOCKET, double contact, Ediswan base, set on solid base, easily removed if 110-volt Edison socket is required, WILL NOT RATTLE OR SHAKE OUT OF POSITION.

FRESNEL GLASSES AND GUARDS, held in by machine screws, easily replaced in case of breakage.

DOORS AND HINGES are attached to body by machine screws, easy installation of new parts, doors held closed by positive catch.

REFLECTORS are solid brass and heavily nickel plated, high polish.

THE "PERKO" DE-LITE LIGHT WILL NOT BLOW OUT.

NOTE—It is not necessary to remove these lamps in order to light oil wick, or clean interior. The DE-LITE light is undoubtedly the finest and most practical oil burning light on the market.

"PERKO" DE-LITE RUNNING LIGHTS ARE PATENTED AND OTHER PATENTS APPLIED FOR. FOR PRICES AND OTHER INFORMATION ON PARTS FOR THESE LIGHTS, SEE PAGES 31, 33, 35, 38.

"Perko" De-Lite Combination Lights

TURRET TOP

FOR CLASS ONE BOATS—LESS THAN 26 FEET IN LENGTH
OIL AND ELECTRIC

Green Lens for Starboard, Red Lens for Port

Height, less ring, 9 3/8 inches


Measurements of base, 5 inches x 5 1/2 inches

Size of lens, 3 3/8 inches x 3 3/8 inches

Net weight, each, 3 pounds



(Closed)



(Opened)

FIG. 0-1

PRICE EACH

Galvanized Iron	Pollshed Brass	Nickel Plated	Chromium Plated
\$5.00	\$6.50	\$7.50	\$10.00

"Perko" De-Lite Combination Lights

FLAT TOP

CLASS 1—OIL AND ELECTRIC

Height, less ring, 6 1/2 inches

Measurements of base, 5 inches x 5 1/2 inches

Size of lens, 3 3/8 inches x 3 3/8 inches

Net weight, each, 2 1/2 pounds



(Closed)



(Opened)

FIG. 0-10

PRICE EACH

Galvanized Iron	Pollshed Brass	Nickel Plated	Chromium Plated
\$5.00	\$6.50	\$7.50	\$10.00

EXTRACT FROM MOTOR BOAT LAW IN EFFECT JUNE 1ST, 1927

(a) Every motor boat of class 1 shall carry the following lights:

First. A white light aft to show all around the horizon.

Second. A combined lantern in the fore part of the vessel and lower than the white light aft showing green to starboard and red to port, so fixed as to throw the light from right ahead to two points abaft the beam on their respective sides.



"Perko" De-Lite Stern Lights

TURRET TOP
FOR CLASS 1 BOATS—OIL AND ELECTRIC

Equipped with our combination oil and electric 2 in 1 all-brass fount (patent applied for).



Fig. 0-2



Fig. 586

Size of lens, 3 3/8 inches x 3 1/2 inches
Height, less ring, 8 3/8 inches
Diameter of base, 4 1/2 inches
Weight, each, 2 pounds

With clear lens and 2 in 1 fount
With colored lens and 2 in 1 fount
Extra founts, Fig. 586

PRICE EACH

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$4.30	\$5.50	\$6.80	\$ 9.00
5.70	7.30	8.30	10.50
	2.00	3.00	4.00

"Perko" De-Lite Anchor Lights

TURRET TOP
FOR CLASS 2 AND 3 BOATS—OIL AND ELECTRIC

Also known as No. 21 Anchor Light

Equipped with our combination oil and electric 2 in 1 fount, all-brass (patent applied for).



Fig. 0-6



Fig. 334

Size of lens, 4 1/4 inches x 4 1/4 inches
Height, less ring, brass, 11 3/8 inches, galvanized, 12 3/8 inches
Diameter of base, 5 3/8 inches
Weight, each, 3 pounds

With clear lens and 2 in 1 fount
With colored lens and 2 in 1 fount
Extra founts, Fig. 334

PRICE EACH

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$5.25	\$7.00	\$ 8.00	\$11.00
7.25	9.00	10.00	13.00
	2.00	3.00	4.00

"Perko" De-Lite Stern Lights

FLAT TOP
FOR CLASS 1 BOAT—OIL AND ELECTRIC

Equipped with our combination oil and electric 2 in 1 fount, all brass, Fig. 586, above (patent applied for).

Height, less ring, 6 inches
Diameter of base, 4 1/2 inches

Size of lens, 3 3/8 inches x 3 1/2 inches
Weight, each, 1 1/2 pounds



Fig. 0-20

PRICE EACH

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$4.30	\$5.50	\$6.80	\$ 9.00
5.70	7.30	8.30	10.50

With clear lens and 2 in 1 fount
With colored lens and 2 in 1 fount

"Perko" De-Lite Anchor Lights

FLAT TOP
FOR CLASS 2 AND 3 BOATS—OIL AND ELECTRIC

Equipped with our combination oil and electric 2 in 1 fount, all brass, Fig. 334, above (patent applied for).

Height, less ring, 9 inches
Diameter of base, 5 3/8 inches

Size of lens, 4 1/4 inches x 4 1/4 inches
Weight, each, 3 pounds



Fig. 0-60

PRICE EACH

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$5.25	\$7.00	\$ 8.00	\$11.00
7.25	9.00	10.00	13.00

With clear lens and 2 in 1 fount
With colored lens and 2 in 1 fount




“Perko” De-Lite Side Lights

TURRET TOP

FOR CLASS 2 BOATS—26 FEET OR OVER AND LESS THAN 40 FEET IN LENGTH
OIL AND ELECTRIC

Furnished in pairs—one green light for Starboard and one red light for Port




(Closed)

Height, less ring, 10½ inches
Measurements of base, 5¼ inches x 5¼ inches
Size of lens, 4¼ inches x 4¼ inches
Net weight, per pair, 6¼ pounds

FIG. 0-4

PRICE PER PAIR

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$8.00	\$10.50	\$12.50	\$16.50



(Opened)

“Perko” De-Lite Bow Lights

TURRET TOP

CLASS 2—OIL AND ELECTRIC

Extreme height, less ring, 10½ inches
Size of lens, 4¼ inches x 6½ inches
Measurements of base, 5 inches x 5½ inches
Weight, each, 3 pounds

FIG. 0-5

PRICE EACH

	Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
With clear lens	\$4.00	\$5.25	\$6.25	\$8.25
With colored lens	5.00	6.25	7.25	9.25



(Closed)



(Opened)

“Perko” De-Lite Side Lights

FLAT TOP

CLASS 2—OIL AND ELECTRIC

Extreme height, less ring, 7¼ inches
Measurements of base, 5½ inches x 5½ inches
Size of lens, 4¼ inches x 4¼ inches
Net weight, per pair, 5½ pounds

FIG. 0-40

PRICE PER PAIR

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$8.00	\$10.50	\$12.50	\$16.50



(Closed)



(Opened)

“Perko” De-Lite Bow Lights

FLAT TOP

CLASS 2—OIL AND ELECTRIC

Extreme height, less ring, 7¾ inches
Measurements of base, 5 inches x 5½ inches
Size of lens, 4¼ inches x 6½ inches
Net weight, each, 2¾ pounds

FIG. 0-50

PRICE EACH

	Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
With clear lens	\$4.00	\$5.25	\$6.25	\$8.25
With colored lens	5.00	6.25	7.25	9.25



(Closed)



(Opened)

Every motor boat of class 2 shall carry the following lights:

First. A bright white light in the fore part of the vessel as near the stem as practicable, so fixed as to throw the light ten points on each side of the vessel, the fresnel lens shall not be less than 19 square inches.

Second. A white light aft to show all around the horizon.

Third. On the starboard side a green light and on the port side a red light, both to throw a light from right ahead to two points abaft the beam, the fresnel lens to be not less than 16 square inches.



"Perko" De-Lite Side Lights

TURRET TOP

FOR CLASS 3 BOATS—40 FEET OR OVER AND NOT MORE THAN 65 FEET IN LENGTH

OIL AND ELECTRIC

Size of lens, 5 1/4 inches x 5 5/8 inches
Height, less rings, 12 1/4 inches
Measurements of base, 5 5/8 inches x 5 5/8 inches
Weight, per pair, 8 pounds

FIG. 0-8

PRICE PER PAIR

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$10.50	\$14.70	\$16.70	\$23.00



(Closed)



(Opened)

"Perko" De-Lite Bow Lights

TURRET TOP

CLASS 3—OIL AND ELECTRIC

Size of lens, 5 1/4 inches x 7 3/4 inches
Height, less ring, 12 1/4 inches
Measurements of base, 5 1/2 inches x 6 1/8 inches
Weight, each, 4 pounds


FIG. 0-9

PRICE EACH

	Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
With clear lens	\$5.25	\$7.35	\$8.35	\$11.50
With colored lens	6.25	8.35	9.35	12.50



(Closed)



(Opened)

"Perko" De-Lite Side Lights

FLAT TOP


CLASS 3—OIL AND ELECTRIC

Size of lens, 5 1/4 inches x 5 5/8 inches
Height, less ring, 8 1/2 inches
Measurements of base, 5 5/8 inches x 5 5/8 inches
Net weight, per pair, 7 pounds

FIG. 0-80

PRICE PER PAIR

Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
\$10.50	\$14.70	\$16.70	\$23.00



(Closed)



(Opened)

"Perko" De-Lite Bow Lights

FLAT TOP

CLASS 3—OIL AND ELECTRIC

Size of lens, 5 1/4 inches x 7 3/4 inches
Height, less ring, 8 1/2 inches
Measurements of base, 5 1/2 inches x 6 1/8 inches
Net weight, each, 4 pounds


FIG. 0-90

PRICE EACH

	Galvanized Iron	Polished Brass	Nickel Plated	Chromium Plated
With clear lens	\$5.25	\$7.35	\$8.35	\$11.50
With colored lens	6.25	8.35	9.35	12.50



(Closed)



(Opened)

Every motor boat of class 3 shall carry the following lights:

First. A bright white light in the fore part of the vessel as near the stem as practicable, so fixed as to throw the light ten points on each side of the vessel, the fresnel lens to be not less than 31 square inches.

Second. A white light aft to show all around the horizon.

Third. On the starboard side a green light and on the port side a red light, both to throw a light from right ahead to two points abaft the beam, the fresnel lens to be not less than 25 square inches.



"Perko" Turret Top De-Lite Running Lights

FOR TUG BOATS OR ANY VESSEL 96 TO 125 FEET IN LENGTH

The "Perko" front door motor boat lights have proven such a success that a demand has been created for the larger lights containing the same features. We now have completed and ready for shipment the most popular size for large boats. Front door stamped from one piece of brass for both the galvanized and brass lights. Copper lights have heavy sheet copper door. Lens and guards fastened with screws can easily be replaced, nickel plated brass reflector, brass oil fount leak-proof, electric socket set in back of oil fount and properly focused. Standard Edison socket (medium screw base).

PATENTED AND OTHER PATENTS PENDING

Turret Top De-Lite Side Lights OIL AND ELECTRIC

Furnished in pairs, green light for Starboard, red light for Port.


NO. 10 SIZE

Extreme height, 17½ inches
Height of frame, 11½ inches
Width, 7½ inches x 9 inches
Size of lens, 6¾ inches x 9 inches
Net weight, per pair, 17 pounds.


PRICE PER PAIR

Galvanized Iron	Polished Brass	Polished Copper
\$25.00	\$40.00	\$53.00

For oil and two light electric equipment, add \$1.00 per pair to above prices.



(Closed)
Fig. 0-21



(Opened)

Turret Top De-Lite Bow Lights

OIL AND ELECTRIC

Furnished with clear fresnel lens for bow, masthead, stern, towing or range.

NO. 15 SIZE

Extreme height, 17 inches
Height of frame, 11 inches
Width, 7½ inches x 7 inches
Size of lens, 6¾ inches x 9½ inches
Net weight, each, 9 pounds

PRICE EACH


Galvanized Iron	Polished Brass	Polished Copper
\$15.00	\$20.50	\$26.50

For oil and two light electric equipment, add \$.50 each to above prices.

With red, green or blue lens, add \$3.50 each to above prices.



(Closed)
Fig 0-22



(Opened)

Turret Top De-Lite Anchor Lights

OIL AND ELECTRIC

Furnished with clear fresnel lens, 360 degree, and the "Perko" 2 in 1 oil and electric fount, swivel type (patent applied for).

NO. 22½ SIZE

Extreme height, 18½ inches
Height of frame, 12½ inches
Diameter of base, 7½ inches
Size of lens, 6¾ inches x 6 inches
Net weight, each, 10 pounds

PRICE EACH

Galvanized Iron	Polished Brass	Polished Copper
\$15.00	\$21.50	\$28.50

With red, green or blue lens, add \$3.50 each to above prices.



Fig. 0-23



Fig. 335

All the above lights are guaranteed to pass the requirements of the U. S. Steamboat Inspection Department.

Other sizes of large turret top lights with front doors will soon be catalogued and ready for shipment.

"Perko" American Improved De-Lite Running Lights

FOR VESSELS 96 TO 125 FEET IN LENGTH

The most practical and dependable running lights on the market for large vessels. They contain the same principles of construction as the American improved lights specified by the U. S. Shipping Board for use on American vessels and shown on page 17, except that these are further improved by the adoption of the front door instead of a back door. These lights can be mounted permanently. Interior can be cleaned or oil lamp lighted while light is mounted. Old style back door lights will not allow permanent mounting.

PATENTED AND OTHER PATENTS PENDING

American Improved De-Lite Side Lights

OIL AND ELECTRIC

Furnished in pairs, one green light for Starboard, one red light for Port side.


NO. 63 SIZE

Extreme height, 15 inches
 Height of frame, 11 3/4 inches
 Width, 7 3/4 inches x 8 3/4 inches
 Size of lens, 6 3/4 inches x 9 inches
 Weight, per pair, 21 pounds


PRICE PER PAIR

Galvanized Iron	Polished Brass	Polished Copper
\$43.00	\$50.00	\$65.00

For oil and two light electric equipment, add \$1.00 per pair to above prices.



(Closed)
Fig. 0-24



(Opened)

American Improved De-Lite Bow Lights

OIL AND ELECTRIC

Furnished with clear fresnel lens for bow, masthead, stern, towing, or range.

NO. 77 SIZE


Extreme height, 15 inches
 Height of frame, 11 3/4 inches
 Width, 7 inches x 7 inches
 Size of lens, 6 3/4 inches x 9 1/2 inches
 Weight, each, 11 pounds

PRICE EACH


Galvanized Iron	Polished Brass	Polished Copper
\$24.50	\$28.50	\$31.50

With oil and two light electric equipment, add \$.50 each to above prices.

With red, green or blue lenses, add \$3.50 to above prices.



(Closed)
Fig. 0-25



(Opened)

American Improved De-Lite Anchor Lights

OIL AND ELECTRIC

Furnished with clear fresnel lens, 360 degree, and the "Perko" 2 in 1 oil and electric fount, swivel type (patent applied for).

NO. 85 SIZE

Extreme height, 15 3/4 inches
 Height of frame, 12 3/4 inches
 Diameter of base, 7 3/4 inches
 Size of lens, 6 3/4 inches x 6 inches
 Net weight, each, 12 pounds

PRICE EACH

Galvanized Iron	Polished Brass	Polished Copper
\$16.50	\$23.50	\$30.50

With red, green or blue lenses, add \$3.50 each to above prices.

All the above lights are guaranteed to pass the requirements of the U. S. Steamboat Inspection Department.

Other sizes of American improved lights with front doors will soon be catalogued and ready for shipment.



Fig. 0-26



Fig. 335



"Perko" Turret Top Running Lights

Made of extra heavy metal. Galvanized lights are made of black steel and hot galvanized after they are formed. All have heavy wire guards and are furnished complete with burner, wick and brackets. Brass or copper lamps are highly polished. Solid brass screw oil or electric founts for these lights are shown on page 34, Fig. Nos. 282, 288, 289, 335.

Turret Top Side Lights

OIL OR ELECTRIC

Furnished in pairs, one red fresnel lens for port, one green fresnel lens for starboard.



Fig. 21

Lamp Nos.	Size of Lens		Extreme Height	Height of Frame	Size Base	Weight per Pair	For Size Boat
	Height Inches	Cir. Inches	Inches	Inches	Inches	Lbs.	Feet
8	5 5/8	6 1/4	15 1/2	9 1/2	6 1/2 x 7 1/2	12	65 to 75
9	5 3/4	8 1/2	16	10 1/4	6 1/2 x 8	15	76 to 95
10	6 3/4	9	17 1/2	11 1/2	7 1/2 x 9	17	96 to 125
11	7 1/2	11 1/2	21 1/4	13 3/4	9 1/2 x 12	29	126 & up

PRICE PER PAIR

Nos.	Galvanized	Brass	Copper
8	\$18.00	\$30.00	\$42.00
9	20.00	35.00	46.00
10	22.00	37.00	50.00
11	34.00	50.00	60.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

Nos. 8, 9, 10—For oil and one light electric equipment, add \$3.00 per pair to above prices.

No. 11—For oil and one light electric equipment, add \$4.00 per pair. Oil and two light electric equipment, add \$5.00 per pair to above prices.

Turret Top Bow—Masthead—Range or Stern Lights

OIL OR ELECTRIC



Fig. 22

Lamp Nos.	Size of Lens		Extreme Height	Height of Frame	Size Base	Weight Each	For Size Boat
	Height Inches	Cir. Inches	Inches	Inches	Inches	Lbs.	Feet
14	5 1/2	8 3/4	16 1/2	10 1/2	7 x 7	8	65 to 95
15	6 3/8	9 1/2	17	11	7 1/2 x 7	9	96 to 125
16	7	12 1/2	21 1/4	13 3/4	9 x 9 1/2	14	126 & up

PRICE EACH—CLEAR LENS

Nos.	Galvanized	Brass	Copper
14	\$12.00	\$18.00	\$23.00
15	13.50	19.00	25.00
16	18.00	25.00	31.00

WITH RED, GREEN OR BLUE LENSES

14	\$15.00	\$21.00	\$26.00
15	17.00	22.50	28.50
16	23.00	30.00	36.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

No. 14 and 15—For oil and one light electric equipment, add \$1.50 each to above prices.

No. 16—For oil and one light electric equipment, add \$2.00 each. Oil and two light electric equipment, add \$2.50 each to above prices.

Turret Top Anchor or Riding Lights

OIL OR ELECTRIC



Fig. 23

Lamp Nos.	Size of Lens		Extreme Height	Height of Frame	Diam. of Base	Weight Each	For Size Boat
	Height Inches	Diam. Inches	Inches	Inches	Inches	Lbs.	Feet
22	5 3/8	6	17	11	7 1/2	9	65 to 95
22 1/2	6 3/8	6	18 1/2	12 1/2	7 1/2	10	96 to 125
23	7	8	21 1/2	14 1/4	9 1/2	16	126 & up

PRICE EACH—CLEAR LENS

Nos.	Galvanized	Brass	Copper
22	\$12.00	\$19.00	\$25.00
22 1/2	14.00	20.00	27.00
23	18.00	26.50	34.00

WITH RED, GREEN OR BLUE LENSES

22	\$15.00	\$22.00	\$28.00
22 1/2	17.50	23.50	30.50
23	23.00	31.50	39.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

No. 22 and 22 1/2—For oil and one light electric equipment, add \$1.50 each to above prices.

No. 23—For oil and one light electric equipment, add \$2.00 each. For oil and two light electric equipment, add \$2.50 each to above prices.



"Perko" American Improved Running Lights

Made of extra heavy metal. Galvanized lights are made of black steel and hot galvanized after they are formed. Brass and copper lights are in natural finish, highly polished. Furnished complete with hinged back door, sliding fount, burner, wick and chimney. For information on parts for these lights, refer to pages 34, 35, 36, 38.

American Improved Side Lights

OIL OR ELECTRIC—SLIDING FOUNT

Furnished in pairs, one red fresnel lens for Port, one green fresnel lens for Starboard.




Fig. 24

Lamp Nos.	Size of Lens— Height Inches	— Cir. Inches	Extreme Height Inches	Height of Frame Inches	Width Inches	Weight per Pair Lbs.	For Size Boat Feet
62	5 3/4	8 1/2	13 1/2	10 1/2	6 1/2 x 7 3/4	18	75 to 95
63	6 3/4	9	15	11 3/4	7 3/4 x 8 3/4	21	96 to 125
64	7 1/2	11 1/2	18	13 1/2	9 1/2 x 11 1/2	36	126 & up

PRICE PER PAIR

Lamp Nos.	Galvanized Iron	Polished Brass	Polished Copper
62	\$36.00	\$43.00	\$56.00
63	38.00	45.00	60.00
64	48.00	66.00	74.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

For oil and one light electric equipment, add \$5.00 per pair to above prices.

For oil and two light electric equipment, add \$6.00 per pair to above prices.

American Improved Bow—Masthead—Stern—Range or Towing Lights

OIL OR ELECTRIC—SLIDING FOUNT

Furnished with clear fresnel lens, colored lens (red, green or blue), if required.




Fig. 25

Lamp Nos.	Size of Lens— Height Inches	— Cir. Inches	Extreme Height Inches	Height of Frame Inches	Width Inches	Weight Each Lbs.	For Size Boat Feet
76	5 1/2	9 1/2	14	11	7 x 7	10	65 to 95
77	6 5/8	9 1/2	15	11 3/4	7 x 7	11	96 to 125
78	7	12 1/2	18	13 1/2	9 x 9 1/2	17	126 & up

PRICE EACH

Lamp Nos.	Galvanized Iron	Polished Brass	Polished Copper
76	\$20.00	\$24.00	\$28.00
77	22.00	26.00	29.00
78	25.00	31.00	37.00

WITH RED, GREEN OR BLUE LENSES

Measurements as above

76	\$23.00	\$27.00	\$31.00
77	25.50	29.50	32.50
78	30.00	36.00	42.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

For oil and one light electric equipment, add \$2.50 each to above prices.

For oil and two light electric equipment, add \$3.00 each to above prices.

American Improved Anchor or Riding Lights

OIL OR ELECTRIC—SCREW FOUNT

Furnished with clear fresnel lens, colored lens (red, green or blue), if required.




Fig. 26

Lamp Nos.	Size of Lens— Height Inches	— Diam. Inches	Extreme Height Inches	Height of Frame Inches	Diam. of Base Inches	Weight Each Lbs.	For Size Boat Feet
84	5 3/4	6	13 3/4	11 1/4	7 3/4	10	65 to 95
85	6 3/4	6	15 3/4	12 1/4	7 1/4	12	96 to 125
86	7	8	17	13 3/4	9 1/2	18	126 & up

PRICE EACH

Lamp Nos.	Galvanized Iron	Polished Brass	Polished Copper
84	\$14.00	\$21.00	\$28.00
85	15.00	22.00	29.00
86	22.00	32.00	36.00

WITH RED, GREEN OR BLUE LENSES

Measurements as above

84	\$17.00	\$24.00	\$31.00
85	18.50	25.50	32.50
86	27.00	37.00	41.00

FOR COMBINATION OIL AND ELECTRIC EQUIPMENT

No. 84 and 85—Oil and one light electric equipment, add \$1.50 each to above prices.

No. 86—Oil and one light electric equipment, add \$2.00 each; oil and two light electric equipment, add \$2.50 each to above prices.

“Perko” 10-Day Anchor Light or Trap Lantern



Fig. 596

A well constructed lantern guaranteed to burn at least ten days with a good grade of kerosene oil, special burner, wick and chimney, as illustrated, Fig. Nos. 245 and 272, solid brass swivel fount, bail handle on bottom for turning fount; folds flush with bottom when not in use; heavy brass hasp to lock fount in place, cannot fall out or shake loose; clear fresnel lens.

Extreme Height Inches	Diameter Fount Inches	Size of Lens Inches	Net Weight Lbs.	Price Each	
				Galv.	Brass
14	7	4¼ x 4¼	4	\$8.50	\$10.50

With colored lens (red, green or blue), add \$2.00 to above prices.



Fig. 596-A

“Perko” Western 8-Day Trap Lantern



Fig. 14

Also used as stake light, post light or anchor light. Heavy construction, cast bronze fittings. All brass oil fount, hot galvanized frame, 8-inch fresnel lens, special No. 2 zenith oil burner with gear control for operating wick from bottom of light. Heavy wire guards, well soldered to body and fastened by clips at joints.

Extreme Height Inches	Diam. Bottom Inches	Size of Lens	Net Weight Lbs.	Price Each, Galv.	
				with Clear Lens	with Colored Lens
22	9¾	8 in. diam.	17½	\$38.00	\$43.00


“Perko” Code Signal Light

FOR FLASHING CODE SIGNALS
ELECTRIC ONLY



Fig. 57

Constructed for flashing signals with Morse key. Equipment includes Morse key and condenser, medium screw electric socket, 360 degree clear fresnel lens.



Extreme Height Inches	Diam. Bottom Inches	Size of Lens Inches	Price Each, Complete		
			Galv.	Brass	Copper
13¾	7½	5½ x 6	\$25.00	\$30.00	\$35.00

Extra keys (with condenser), each \$20.00.

“Perko” Blinker Signal or Mast Light

MORSE CODE

EQUIPPED WITH MEDIUM SCREW BASE EDISON SOCKETS



Fig. 403

No. 951—Size 3¾ x 6½ inches long over all. Cast bronze; weight, 2 pounds; glass, 3¾ x 3½ inches; ½ inch I. P. S. thread; maximum lamp, 2½ D. x 3¾ inches long (A-17 or G-18½).


Price, each, \$12.00

No. 950—Size 4¾ x 7¾ inches long over all. Cast bronze; weight, 5½ pounds; glass, 4¾ x 4¾ inches; ¾ inch I. P. S. thread; maximum lamp, 3¾ D. x 5½ inches long (A-21 or A-21B).

Price, each, \$13.00

No. 955—Size 5½ x 8½ inches high. Cast bronze; weight, 8¾ pounds; glass, 5¾ x 6 inches; 1 inch I. P. S. thread; maximum lamp, 4½ x 6½ inches long (A-23).

Price, each, \$20.00



“Perko” Detroit Cabin Lamp

DOUBLE SWING—WEIGHTED BASE

Constructed of solid brass throughout. One piece oil reservoir, with oil filler cap. Gimbel ring allows lamp to swing in any direction and always keep in upright and proper burning position in any sea. Equipment includes No. 1 or 2 hinge burner, Fig. No. 242, lip chimney, Fig. No. 267, and wick.



Fig. 138

Size	Oil Capacity Pints	Extreme Height Inches	Diam. of Wall Plate Inches	Extension from Wall Inches	Net Weight Each Lbs.	Price Each	
						Polished Brass	Nickel Plated
1	1	12½	4½	8	2½	\$5.00	\$6.50
2	1¼	12½	5½	9½	3	6.00	7.50

“Perko” Frisco Cabin Lamp

DOUBLE SWING

Same lamp as Detroit above, except with solid brass 6 inch diameter smoke bell and arm. For sizes, etc., refer to Fig. No. 138, above.



Fig. 134

Size	Net Weight Each Lbs.	Price Each	
		Polished Brass	Nickel Plated
1	3	\$6.10	\$8.10
2	3½	7.10	9.10

“Perko” Philadelphia Cabin Lamp

DOUBLE SWING

Constructed of heavy gauge brass with cast bronze bracket. Gimbel ring and loose swivel arm, will always keep in upright and proper burning position. Heavy weighted bottom. Oil reservoir is removable. Equipped with No. 2 brass hinge burner, Fig. No. 242, wick, and No. 2 lip chimney, Fig. No. 267.



Fig. 137

Size	Extreme Height Inches	Oil Capacity Pints	Size of Wall Plate Inches	Extension from Wall Inches	Net Weight Each Lbs.	Price Each	
						Polished Brass	Nickel Plated
2	14	1½	2 7/8 x 4 3/4	8½	5	\$8.00	\$9.50

“Perko” New York Cabin Lamp

DOUBLE SWING

Same lamp as Philadelphia above, except with solid brass 6 inch diameter smoke bell and arm. For sizes, etc., refer to Fig. No. 137 above.



Fig. 133

Size	Net Weight Each Lbs.	Price Each	
		Polished Brass	Nickel Plated
2	5½	\$9.10	\$11.10



"Perko" Air Scoops FOR PORT LIGHTS

Made in one piece, with wire reinforced bead around edge, wire rings for removing scoop from port light. Fits standard size port lights. Scoop is tapered for variation in size of port light.



Fig. 153

Size Inches	Price Each		Size Inches	Price Each	
	Galv.	Brass		Galv.	Brass
3	\$1.50	\$2.50	11	\$3.90	\$5.75
4	1.80	2.90	12	4.30	6.25
5	2.10	3.30	13	4.50	6.75
6	2.40	3.70	14	4.75	7.25
7	2.70	4.10	15	5.00	7.75
8	3.00	4.50	16	5.25	8.25
9	3.30	4.90	18	5.75	9.00
10	3.60	5.30	20	6.25	9.75

"Perko" Air Scoop and Screen

Same as Fig. 153 above, fine copper wire screening soldered into scoop.



Fig. 576

Sizes 3 to 5 inches, add \$1.00 each to above prices.

Sizes 6 to 10 inches, add \$1.25 each to above prices.

Sizes 11 to 15 inches, add \$1.50 each to above prices.

Sizes 16 to 20 inches, add \$1.75 each to above prices.

"Perko" Port Light Screens SPUN BRASS FRAME IN ONE PIECE

No seam, copper wire mesh, wire enclosed bead around edge. Frame tapered to allow for variation in size of port light.



Fig. 154

Size Port Light Inches	Price Each	Size Port Light Inches	Price Each
3	\$1.25	10	\$3.75
4	1.50	11	4.00
5	1.75	12	4.25
6	2.00	14	5.50
7	2.25	16	6.50
8	2.60	18	7.50
9	3.25	20	8.50

NOTE—Can be furnished with galvanized frame in all sizes. Price on application.

"Perko" Shallow Port Light Screens TO FIT RECESSED PORT LIGHTS

Spun brass frame, one piece, no seam, copper wire mesh.



Fig. 434

Size Port Light Inches	Price Each	Size Port Light Inches	Price Each
4	\$1.00	10	\$2.10
5	1.10	12	2.35
6	1.30	14	2.50
7	1.50	16	3.00
8	1.70	18	3.50
9	1.90	20	3.75

Exact size of screen. Add 1/8 inch to above sizes.

NOTE—Above Scoops and Screens are made to order. Please give exact diameter of opening in port light.

"Perko" Liverpool Heads

Of heavy gauge metal, all parts riveted, top and bottom double seamed. Fits over standard stove pipe.



Fig. 347

Size Inches	Price Each	
	Galv.	Brass
3	\$ 5.50	\$ 7.00
3½	5.75	7.25
4	6.00	7.50
4½	6.60	8.60
5	7.20	9.30
5½	8.60	10.20
6	8.90	12.00
7	10.00	15.00
8	15.00	18.00
10	18.00	25.00

"Perko" Gasoline Funnel GALVANIZED

Heavy galvanized iron, extra long spout, splash guard, fine copper mesh strainer, and extra ring for chamois.



Fig. 196

Diam. Top Inches	Diam. Spout Inches	Height Inches	Capacity Gallons	Price Per Doz.
8	7/8	13	1/2	\$14.40
10	7/8	13½	1	18.00

"Perko" Eastern Funnel NARROW TOP—FOR NARROW SPACES

Heavy galvanized iron, wire enclosed bead around mouth, extra long spout, fine copper mesh strainer.



Fig. 318

Diam. Top Inches	Length Overall Inches	Diam. Spout Inches	Length Spout Inches
5½	16	1	7

PRICE PER DOZEN

Galvanized \$12.00

"Perko" Chart Cases

Made of galvanized iron or sheet copper, water-tight cover, folding handle on side for carrying.



Fig. 372

PRICE EACH

Diam. Inches	Length Inches	Galv.	Copper
3	36	\$3.60	\$7.00
4	36	4.50	8.00

All other sizes made to order.

"Perko" Pick-Up Buoy

FLAT TOP




Fig. 234

Heavy galvanized iron, double seamed and soldered.

Wrought iron handle riveted to body, large eye on bottom and rope thimble. Every buoy fully tested before it leaves our factory.

Measurements do not include handle or eye.

No.	Size Inches	Weight Lbs.	Price Each
1	9x14	4	\$5.40
2	12x18	5	6.60
3	13x22	7	7.80

"Perko" Cone Mooring Buoy

GALVANIZED

Heavy galvanized iron, iron pipe running all the way through buoy, heavy galvanized $\frac{3}{8}$ inch buoy rod through pipe allowing body to swivel, eye on top, swivel on bottom, body grooved for bumper, which is of heavy $1\frac{1}{2}$ inch outside diameter rubber hose.



Fig. 370

Can also be furnished with welded eye bolts top and bottom non swivel—same prices.

PRICE EACH

Size Inches	With Bumper	Without Bumper
16 x 24	\$21.00	\$15.60
20 x 30	27.00	22.00
24 x 36	34.50	29.00
30 x 36	39.00	34.00

Size does not include swivel or eye.

Can also be furnished with $\frac{3}{8}$ inch diameter buoy rod and swivel—add to above prices \$3.50 each.

"Perko" Pick-Up Buoy

CONE TOP



Fig. 235

Heavy galvanized iron, double seamed and soldered. Wrought iron handle riveted to body, large eye on bottom for rope.

Fully Tested

Measurements do not include handle or eye.

No.	Size Inches	Weight Lbs.	Price Each
4	13x22	5	\$4.20
5	16x24	6 $\frac{1}{2}$	5.40

"Perko" Yachtsmen's Mooring Buoy

GALVANIZED



Fig. 233

Extra heavy, all riveted body, extra long rod and eye. standard length of rod extends 30 inches above top of buoy. Diameter of rod, $\frac{7}{8}$ inch. Galvanized iron pipe runs through buoy, forged swivel on bottom. bumper is $1\frac{1}{2}$ inch outside diameter rubber hose set in groove, drain plug in bottom of buoy.

PRICE EACH

Size Inches	With Bumper	Without Bumper
24 x 36	\$45.00	\$41.00
30 x 36	53.00	49.00
36 x 42	63.00	59.00
40 x 48	75.00	71.00

"Perko" Heavy Duty Mooring Buoy

RIVETED BODY—GALVANIZED



Fig. 551

Extra heavy construction, all riveted. $\frac{3}{8}$ inch wrought iron buoy rod through center, eye on top, swivel on bottom, grooved to take heavy rubber bumper. Bumper is $1\frac{1}{2}$ inch outside diameter heavy hose, outlet in bottom for draining.

PRICE EACH

Size Inches	With Bumper	Without Bumper
24 x 36	\$40.00	\$36.00
30 x 36	48.00	44.00
36 x 42	58.00	54.00
40 x 48	70.00	66.00

Measurements do not include swivel or eye.

Measurements do not include eye rod or swivel. Special lengths of rod furnished to order.

"Perko" Racing Buoy

GALVANIZED



Fig. 552

For marking race courses. Heavy galvanized iron. Same construction as our cone mooring buoys, eye in bottom, 1 inch diameter flag pole socket in top, $1\frac{1}{2}$ inch rubber bumper set in groove around body.

PRICE EACH

Size Inches	With Bumper	Without Bumper
16 x 24	\$20.50	\$15.00
20 x 30	26.50	21.50
24 x 36	34.00	28.50
30 x 36	38.50	33.50



"Perko" All Brass Bilge Pump
DOUBLE ACTION

Heavy brass seamless tubing, cast bronze fittings, treated leather packing, hollow brass ball checks, D shaped handle. Moulded rubber hose 5 feet long furnished with each pump.




Fig. 200

Nos.	Height Inches	Diam. Inches	Capacity Per Minute Gallons	Weight Lbs.	Price Each	
					With Hose	Without Hose
1	16	1½	6	2¼	\$4.50	\$3.90
2	17	1½	12	3¼	5.50	4.90
3	26	1½	8½	3	5.75	5.00
4	26	1½	16½	4	6.75	6.00

"Perko" All Brass Bilge Pump
WITH SUCTION HOSE AND STRAINER

Cast bronze foot rest and two 5 foot lengths of hose for suction and discharge.




Fig. 202

Nos.	Height Inches	Diam. Inches	Capacity Per Minute Gallons	Weight Lbs.	Price Each	
					With Hose	Without Hose
5	16	1½	6	3	\$6.75	\$5.50
6	17	1½	12	4	8.00	6.50
7	26	1½	8½	3¼	8.25	6.75
8	26	1½	16½	5	9.25	7.75

"Perko" All Brass Bilge Pump
WITH SIDE HANDLE




Fig. 201

Nos.	Height Inches	Diam. Inches	Capacity Per Minute Gallons	Weight Lbs.	Price Each	
					With Hose	Without Hose
1	16	1½	6	2½	\$4.90	\$4.30
2	17	1½	12	3½	6.00	5.25
3	26	1½	8½	3¼	6.25	5.50
4	26	1½	16½	4¼	7.25	6.50

"Perko" All Brass Bilge Pump
WITH BULKHEAD BRACKETS

Complete with 2 five foot lengths of hose and suction strainer.




Fig. 524

Nos.	Height Overall Inches	Diam. Pump Inches	Weight Lbs.	Price Each	
				With Hose	Without Hose
11	17	1½	9	\$ 9.50	\$8.00
12	26	1½	10	11.00	9.50

"Perko" Rubber Hose and Strainer
FOR BRASS BILGE PUMP

Heavy moulded rubber hose, durable and lasting. ½ inch inside diameter.




Fig. 208 Fig. 209

PRICE EACH
Standard 5 ft. lengths \$.90
Cast Bronze Strainer .60
Other lengths of hose can be furnished. Price on application.

"Perko" Basin Pump CAST BRONZE—HIGH SPOUT

Made of cast bronze, highly polished or plated. Solid mahogany handle which when down all the way will not pinch the hand against the upright bar. Complete with all couplings as illustrated. Can be furnished with straight base or large flange base as illustrated.




Fig. 473
With Straight Base




Fig. 478
With Flange Base

Diam. Pump Inches	Height Overall Inches	Spread, Handle Up Inches	Spread, Handle Down Inches	Weight Lbs.
1½	14½	14	8½	4¼

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$10.50	\$11.50	\$15.50

"Perko" Basin Pump CAST BRONZE—LOW SPOUT

Furnished with either straight base or flange base as illustrated. Complete with all couplings.




Fig. 474
With Flange Base




Fig. 479
With Straight Base

Diam. Pump Inches	Height Overall Inches	Spread, Handle Up Inches	Spread, Handle Down Inches	Weight Lbs.
1½	14½	13	7½	4¼

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$11.75	\$12.75	\$17.25

"Perko" Basin Pump CAST BRONZE—WITH STOP COCK

Furnished with either straight base or flange base, all necessary couplings and stop cock.




Fig. 525

Diameter pump, 1½ inches
Height overall, 14½ inches
Spread, handle up, 14 inches
Spread, handle down, 9 inches
Weight, 4½ pounds

When ordering please specify style of base desired.

Flange base regularly furnished.

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$12.25	\$13.25	\$18.00

"Perko" Galley Pump

BRASS TUBING—CAST BRONZE FITTINGS

With ¾ inch pipe couplings or hose connections.

A double acting pump, complete with bulkhead brackets and necessary connections.




Fig. 345

Diam. Pump Nos.	Overall Inches	Length Inches	Price Each		
			Polished Brass	Nickel Plated	Chromium Plated
9	1½	21	\$6.50	\$7.50	\$11.50
10	1½	31	8.20	9.20	13.50



Pipe Coupling



Hose Connection

Pump furnished with either of the above fittings. Please specify which is desired.

"Perko" Bulkhead Bracket

FOR BASIN PUMPS—CAST BRONZE



Fig. 475

For mounting any of the basin pumps shown above on bulkhead. Removable clamp makes tight fit on body of pump.

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$1.50	\$1.80	\$3.50



"Perko" Trench or Bilge Pump

GALVANIZED

Made of heavy tubing, formed from black iron and hot galvanized afterwards, water-tight and rustproof seams. Galvanized iron valves with oak leather clapper, wood rod and handle, cone shaped oak leather plunger, as per Fig. 239, well reinforced with galvanized iron bands around body.

ALSO KNOWN AS CONTRACTOR'S PUMP




Fig. 156

Diameter, inches	2	2½	3	3½	4
Price per foot	\$.60	\$.65	\$.70	\$.75	\$.80

Pumps shorter than 5 feet long charged as 5 foot.
Pumps measured overall.

"Perko" Handy Bilge Pump

GALVANIZED

With iron rod and handle, improved oak leather disc plunger as Fig. 238, galvanized iron valve and top cap.




Fig. 158

PRICE EACH

Length Overall Feet	Diameter of Pump			
	1½ in.	2 in.	2½ in.	3 in.
2	\$1.90	\$2.00
2½	1.90	2.00	\$2.50	\$2.75
3	2.15	2.25	2.50	2.75
3½	2.30	2.40	2.70	3.10
4	2.60	2.70	3.00	3.50
4½	2.70	2.80	3.15	3.75
5	2.80	2.90	3.25	4.00
5½	3.00	3.10	3.50	4.30
6	3.15	3.25	3.75	4.60

"Perko" Durable Bilge Pump

GALVANIZED

Same as Handy Pump, Fig. 158, except with funnel top.




Fig. 157

Diameter, inches	1½	2	2½	3
Price per foot	\$.45	\$.50	\$.55	\$.60

Pumps shorter than 5 feet long charged as 5 foot.
Pumps measured overall.

"Perko" Wizard Bilge Pump

GALVANIZED

Wood rod and leather plunger, as Fig. 239. Galvanized iron clapper valve.




Fig. 314

Length Overall Feet	Diameter of Pump				
	2 in.	2½ in.	3 in.	3½ in.	4 in.
2	\$2.25	\$2.70	\$3.00
2½	2.35	2.70	3.00
3	2.50	2.90	3.00	\$3.30
3½	2.65	3.00	3.10	3.30	\$3.60
4	2.75	3.00	3.20	3.40	3.70
4½	2.85	3.10	3.30	3.50	3.80
5	2.95	3.20	3.40	3.65	3.90
6	3.40	3.80	4.00	4.40	4.70

"Perko" Pump Valve



Fig. 237

Galvanized iron with oak leather clapper, galvanized iron weights on both sides of leather riveted together and screwed to casting.

Diameter, inches	1½	2	2½	3	3½	4	4½
Wgt. per doz., lbs.	3	4	6	7	9	11	14
Price per doz.	2.75	3.25	4.00	4.50	5.50	6.50	10.00

"Perko" Improved Plunger

Malleable iron stem threaded to cast iron wheel to support oak leather disc plunger.



Fig. 238

Diam. Inches	Weight Per Dozen Lbs.	Price Per Dozen
1½	2½	\$3.00
2	3	3.50
2½	4½	4.00
3	6	4.50

"Perko" Leather Plungers

OAK LEATHER

Riveted together, strong and durable.



Fig. 239

For Diam. Pump Inches	Weight Per Dozen Lbs.	Price Per Dozen
2	2	\$2.60
2½	2½	3.30
3	3	4.00
3½	3½	4.80
4	4	5.60
4½	4½	8.00

"Perko" Wood Pump Handles

Turned from soft wood, smooth finish, 9 inches long.



Fig. 230

Diam. of hole, in.	¾	1½
Price per doz.	\$1.44	\$1.92

"Perko" Wood Pump Rods

Pointed on one end.




Fig. 231

Diam., inches	¾	1¼
Lengths, ft.	2 to 6	6 to 12
Price per ft.	\$.08	\$.10

NOTE—¾ inch only furnished in 6 inch multiples.
1¼ inch only furnished in 12 inch multiples.

NOTE—ON ALL PUMPS LISTED HEREWITH THERE IS A CHARGE OF \$1.00 FOR CRATING 6 PUMPS OR LESS. 7 OR MORE PUMPS—NO CRATING CHARGE.



"Perko" Full Tone Whistle

Made of solid brass, nickel plated. Blown by mouth or can be attached to compressed air tank or steam pipe by removing mouthpiece. Standard pipe thread, 1/2 inch.



Fig. 164

Size—1 1/8" x 6 3/4". Weight, per dozen, 5 lbs.

PRICE PER DOZEN

Polished Brass
\$25.20

Nickel Plated
\$26.40

"Perko" Police or Signal Whistle



Fig. 349

Solid brass, nickel plated, loud, clear tone.

Price per doz. \$6.00

"Perko" Brass Oil Gun

Excellent for drawing oil from crank case or other places hard to get at. Flexible metal spout bends in any direction. Brass barrel 12 inches long, double leather plungers.




Fig. 388

Diam. barrel, 1 1/2"
Length overall, 15 1/2"
Length handle, 5 1/2"
Weight, ea., 2 lbs.

PRICE EACH

Complete \$2.75
Extra Spouts 1.10

"Perko" Trouble Light

Brass body, nickel plated, double contact socket, 21 candle power, 6 volt bulb, 3 inch diameter magnifying lens, complete with switch, 10 feet wire and plug.



Fig. 389

Length overall, 10"
Price each \$3.00

"Perko" Lantern Bracket

CAST BRONZE




Fig. 514

Folds down on deck when not in use. Snug fit in lamp bracket.

Price, each, polished \$1.20
Price, each, nickel plated 1.70

"Perko" Control Rod Sockets

MADE FROM BRASS ROD



Fig. 328

Price per dozen

Diameter, 3/8 inch
Length, 1 1/2 inches
Slot, 1/8 x 3/8 inch
Thread, 1/4-20

\$2.40

"Perko" Racing Signal Balls

FOR MARKING RACE COURSES

Heavy wire ribs. brass finishing ends, 8 ounce cotton duck covering in all colors.

12 inch and 24 inch diameters collapsible



Fig. 513

PRICE EACH

Diameter	12"	24"
Black	\$ 6.00	\$ 6.00
Blue	9.00	9.00
White	9.00	9.00
Red	9.00	9.00
Striped	10.50	10.50

"Perko" Side Light Boxes




Fig. 316


Made of heavy sheet iron, well reinforced, painted red and green. Collapsible when not in use.

Class	Length Inches	Price Per Pair
2	18	\$2.50
3	24	3.00

"Perko" Emergency Gasoline Cans

NEW, IMPROVED, EXTRA HEAVY

Adapted for use on outboard motor boats, especially while racing. A large flexible spout and vent allows gasoline to flow quickly. Copper mesh strainer in spout. Can is extra heavy metal, painted red; spout is flexible, metal tubing.



View of Can in Use



Fig. 515

View of Can Not in Use

Capacity	Height Inches	Width Inches	Depth Inches	Size of Spout Inches	Price Each
2 Gallon	14 1/4	8	4 1/4	12 x 3/8 O. D.	\$2.50
3 Gallon	14 1/4	8 1/4	6 1/4	12 x 3/8 O. D.	2.60
5 Gallon	14 1/4	9 1/2	9 1/2	12 x 3/8 O. D.	2.75



"Perko" Wrought Brass Fog Bells STAMPED FROM BELL METAL



Diameter	6 in.	8 in.
Hgt. overall	4 in.	5 in.
Extension	7 1/2 in.	8 3/4 in.
Weight	1 lb.	2 1/2 lbs.

Fig. 159

		PRICE EACH			
Diam. Inches	Plain Brass	Polished Brass	Nickel Plated	Chromium Plated	
6	\$1.32	\$1.38	\$1.88	\$4.38	
8	2.34	2.40	2.90	5.40	

"Perko" Cast Fog Bell LIGHTWEIGHT



Cast from bell metal. With removable bracket.

Diameter	6 in.	8 in.
Hgt. overall	4 1/2 in.	5 1/4 in.
Extension	6 1/2 in.	8 1/2 in.
Weight	1 1/2 lbs.	4 1/2 lbs.

Fig. 581

		PRICE EACH			
Diam. Inches	Plain	Polished	Nickel Plated	Chromium Plated	
6	\$1.95	\$2.30	\$3.30	\$5.75	
8	3.55	3.90	4.90	7.50	

"Perko" Cast Fog Bell MEDIUM WEIGHT



Cast from high grade bell metal. Highly polished detachable bracket.

Diameter	6 in.	8 in.
Hgt. overall	5 in.	6 1/2 in.
Extension	6 3/4 in.	8 1/2 in.
Weight	3 1/2 lbs.	6 1/2 lbs.

Fig. 420

		PRICE EACH			
Diam. Inches	Plain	Polished	Nickel Plated	Chromium Plated	
6	\$4.20	\$5.20	\$6.20	\$ 8.50	
8	7.48	8.86	9.86	13.25	

"Perko" Cast Fog Bell HEAVY WEIGHT



Cast from extra heavy bell metal. Complete with removable bracket.

Diameter	8 in.	10 in.
Height	8 in.	10 1/2 in.
Projection	9 in.	12 in.
Weight	10 lbs.	19 lbs.

Fig. 150

		PRICE EACH			
Diam. Inches	Plain	Polished	Nickel Plated	Chromium Plated	
8	\$11.50	\$13.00	\$14.50	\$19.00	
10	21.50	24.00	25.50	32.00	

"Perko" Fog Horns WITH ADJUSTABLE REED

These horns have a patented slide on the reed which controls the tone. Very easy to adjust or tune.



Fig. 162

		PRICE PER DOZEN		
Length Overall Inches	Tin	Galv.	Brass	
18 Without Bell	\$ 7.50	\$ 9.00	\$14.00	
20 With Bell, as illustrated	8.00	9.50	15.00	
24 With Bell, as illustrated	9.50	11.00	17.00	
30 With Bell, as illustrated	15.00	17.00	28.00	
36 With Bell, as illustrated	20.00	25.00	33.00	

"Perko" Two Tone Signal Horns

Solid brass. Very loud, double tone. Blown by mouth. Easily taken apart. Made in two sizes.





Fig. 165

		PRICE PER DOZEN	
Nos.	Length Overall Inches	Polished Brass	Nickel Plated
1	7	\$22.00
2	10	\$22.00	25.00

"Perko" Triplex Motor Boat Whistle WITH BAKELITE MOUTHPIECE



Popular for outboard motor boats. Very loud. triple tone. Complete with chain.

Length overall, 6 1/2 in.

Fig. 166

Price per dozen, nickel plated \$12.00

"Perko" Triplex Motor Boat Whistle WITH METAL MOUTHPIECE



All solid brass, nickel plated, loud triple tone. Complete with chain.

Length overall, 6 1/2 in.

Price per doz. \$10.00

Fig. 168

"Perko" Duplex Motor Boat Whistle ALL BRASS—NICKEL PLATED



A whistle is required by law on outboard motor boats. Loud double tone. Brass, nickel plated mouthpiece. Complete with chain.

Length overall, 3 1/2 inches


Price per dozen \$8.40

Fig. 167



"Perko" Spun Ventilator

Spun from heavy gauge sheet brass or copper. Complete with cast bronze screw deck plate, cover and key.



Extra heavy

Fig. 152

Deck Plate Size Inches	Diameter Mouth Inches	Height Overall Inches	Price Each	
			Polished Brass	Polished Copper
2	4	6	\$ 8.00	\$ 9.00
2½	5	7	8.50	9.50
3	6	8	8.75	9.75
3½	7	9	9.50	10.50
4	8	10½	10.00	11.00

"Perko" Streamline Ventilator

CAST BRONZE AND NICKEL SILVER FOR RUNABOUTS

Cast in one piece, painted green on inside, made in two sizes.



Fig. 476

No.	Width Opening Inches	Height Opening Inches	Size Base Inches	Weight Lbs.
6	3½	2¾	5 x 6	1
7	4¾	3¼	6 x 7	2

PRICE EACH

No.	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
6	\$2.50	\$3.50	\$3.00	\$4.50
7	3.75	5.00	4.50	6.00

"Perko" Streamline Ventilator

CAST BRONZE AND NICKEL SILVER CLAM SHELL TYPE

A new design of runabout ventilator that will match other streamline fittings on the deck. Made in three sizes, small size can be used as shield for water outlet in hulls of cruisers.



Fig. 324

No.	Width Opening Inches	Height Opening Inches	Size Base Inches	Weight Oz.
1	1½	1	2¼ x 3	4
2	1¾	1	2½ x 3¾	6
3	2¾	1½	3¾ x 4¾	12

PRICE EACH

No.	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
1	\$1.20	\$1.45	\$1.50	\$2.50
2	1.30	1.60	1.60	2.75
3	1.50	1.80	1.80	3.00

"Perko" Clam Shell Ventilators

CAST BRONZE AND NICKEL SILVER IMPROVED

Now made in two sizes, with base improved in appearance.



Fig. 323

No.	Width Opening Inches	Height Opening Inches	Size Base Inches	Weight Oz.
4	2¾	1¾	3¾ x 3½	11
5	3½	2	4 x 3¾	14

PRICE EACH

No.	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
4	\$1.50	\$1.80	\$1.80	\$3.00
5	1.60	1.90	1.90	3.20

"Perko" Engine Compartment Outlet Ventilator



Fig. 329

For use on hulls of runabouts or cruisers. Made of cast bronze or nickel silver, highly polished, interior painted in green enamel.

Diameter Opening	2½ in.
Diameter Flange	4 in.
Weight	19 oz.

PRICE EACH

Polished Bronze	\$1.75	Nickel Plated	\$2.00	Nickel Silver	\$2.00	Chromium Plated	\$3.50
-----------------	--------	---------------	--------	---------------	--------	-----------------	--------

"Perko" Engine Compartment Hatch Ventilator

STREAMLINE PATTERN

For use on runabouts where ventilation is desired through side of raised hatch. Made of cast bronze or nickel silver. Highly polished.



Fig. 330

Diameter Opening	1¾ in.
Width of Flange	2¼ in.
Length of Flange	4 in.
Weight	4 oz.

PRICE EACH

Polished Bronze	\$1.25	Nickel Plated	\$1.75	Nickel Silver	\$1.50	Chromium Plated	\$2.50
-----------------	--------	---------------	--------	---------------	--------	-----------------	--------

"Perko" Engine Compartment Ventilator

CAST BRONZE AND NICKEL SILVER FOR RUNABOUTS

For ventilating engine compartments of runabouts or outboard motorboats where motor is inclosed in raised hatch.

Inside Diameter	1¾ in.
Outside Diameter	2¾ in.
Depth	¾ in.
Weight	4 oz.



Fig. 331

PRICE EACH

Polished Bronze	\$1.00	Nickel Plated	\$1.50	Nickel Silver	\$1.50	Chromium Plated	\$2.00
-----------------	--------	---------------	--------	---------------	--------	-----------------	--------



"Perko" Cast Bronze Hood Ventilator WITH SCREW DECK PLATE



A ventilator that will last longer than the boat. Highly polished on outside, painted green on inside. With cover and key for deck plate.

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches	Net Weight Lbs.
3	6	7 3/4	4 1/2
4	8	9 3/4	8 1/2

Fig. 421

Size Inches	Polished Bronze	Nickel Plated	Chromium Plated
3	\$13.00	\$15.50	\$20.00
4	18.50	21.00	28.00

"Perko" Cast Bronze Hood Ventilator WITH SWIVEL DECK PLATE



Highly polished, with brass rim around mouth. Painted green on inside. Complete with swivel deck plate for turning in any direction desired and brass cover for deck plate when vent is removed.

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches	Net Weight Lbs.
3	6	7 3/4	4 1/2
4	8	9 3/4	8 1/2

Fig. 426

Size Inches	Polished Bronze	Nickel Plated	Chromium Plated
3	\$19.00	\$22.00	\$26.00
4	26.00	29.00	36.00

"Perko" Cast Bronze Ventilator ROUND MOUTH—SCREW DECK PLATE

Hood is one piece cast bronze, threaded bottom for screw deck plate. Complete with deck plate and cover. Ventilator painted green on inside.



Diam. bottom opening, 3 inches
Diameter mouth, 6 inches
Height overall, 8 1/2 inches
Diameter deck flange, 4 3/8 in.
Weight, 5 pounds

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$11.00	\$13.00	\$17.50

Fig. 199

"Perko" Swivel Ventilator ROUND MOUTH—CAST BRONZE

Made of heavy cast bronze, swivel deck plate, thumb screw for fastening in position. Cast cover to take place of vent when removed. Set screw to prevent loss of thumb screw. Vent painted green on inside.



Diam. bottom opening, 3 3/4 in.
Diameter mouth, 5 7/8 inches
Height overall, 9 inches
Diameter base, 6 1/4 inches
Weight each, 11 pounds

PRICE EACH

Polished	Nickel Plated	Chromium Plated
\$20.00	23.00	30.00

Fig. 198

"Perko" Swivel Ventilator OVAL MOUTH—CAST BRONZE

Made of heavy cast bronze with swivel deck plate for turning in any direction. Large thumb screw for fastening in position desired. Cast bronze cover for deck plate when vent is removed. A set screw prevents loss of thumb screw. Vent painted green on inside.



Diam. bot. open., 4 1/2 in.
Size mouth, 6 3/8 x 9 3/8 in.
Height overall, 12 1/4 in.
Diameter base, 7 3/4 in.
Weight each, 19 pounds

PRICE EACH

Polished	Nickel Plated	Chromium Plated
\$30.00	35.00	45.00

Fig. 197

"Perko" Hammered Copper Ventilator WITH SCREW DECK PLATE

Heavy gauge sheet copper, hammered to shape by hand, hammer marks remaining in surface. With cover and key for deck plate.

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches
3	6	8
4	8	11
5	10	13
6	12	15
8	16	20

PRICE EACH

Size Inches	Polished
3	\$17.50
4	23.50
5	43.50
6	48.50
8	70.00



Fig. 367

"Perko" Hammered Copper Ventilator WITH SWIVEL DECK PLATE

Complete with swivel deck plate for turning in any direction. Brass cover for deck plate when vent is removed.

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches
3	6	8
4	8	11
5	10	13
6	12	15
8	16	20

PRICE EACH

Size Inches	Polished
3	\$20.00
4	24.50
5	46.00
6	52.50
8	74.00



Fig. 366

“Perko” Seamed Hood Ventilator WITH BRONZE SCREW DECK PLATE

Constructed of heavy sheet iron or brass. Iron ventilators are completely formed and then hot galvanized.



Fig. 151

Deck Plate Size Inches	Opening of Mouth Inches	Height Overall Inches
2	4	5
2½	5	6
3	6	7
3½	7	10
4	8	11
4½	9	12
5	10	14
6	12	15
7	14	18
8	16	21
9	18	23
10	20	25
12	24	30

PRICE EACH

Deck Plate Size Inches	PRICE EACH		Deck Plate Size Inches	PRICE EACH	
	Galv. Iron	Polished Brass		Galv. Iron	Polished Brass
2	\$ 5.00	\$ 8.00	6	\$18.50	\$24.00
2½	6.00	8.40	7	26.00	32.00
3	6.50	8.80	8	32.00	38.00
3½	7.20	9.60	9	40.00	50.00
4	8.30	10.50	10	56.00	70.00
4½	11.00	14.00	12	70.00	80.00
5	13.00	16.00			

“Perko” Riveted Hood Ventilator WITH BRONZE SCREW DECK PLATE

Constructed of heavy gauge sheet iron, hot galvanized or brass. Riveted at the joints. Brass rim around mouth on galvanized vents.




Fig. 369

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches
2	4	6
2½	5	7
3	6	8
3½	7	9
4	8	11
4½	9	12
5	10	13
6	12	15
7	14	19
8	16	20
9	18	23
10	20	25
12	24	30

PRICE EACH

Deck Plate Size Inches	PRICE EACH		Deck Plate Size Inches	PRICE EACH	
	Galv. Iron	Polished Brass		Galv. Iron	Polished Brass
2	\$14.60	\$16.00	6	\$29.00	\$36.00
2½	14.90	17.00	7	34.00	42.00
3	15.20	17.50	8	40.50	52.00
3½	17.00	19.00	9	50.00	62.00
4	19.00	23.00	10	66.00	81.00
4½	23.00	26.50	12	80.00	92.00
5	24.50	29.00			

“Perko” Seamed Hood Ventilator WITH BRONZE SWIVEL DECK PLATE

Heavy sheet iron or brass. Iron vents are hot galvanized after forming. Complete with spun brass cover for deck plate when vent is removed.



Fig. 575

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches
3	6	7½
4	8	10
5	10	12½
6	12	15
7	14	18½
8	16	20
9	18	22½
10	20	25
12	24	30

PRICE EACH

Deck Plate Size Inches	PRICE EACH		Deck Plate Size Inches	PRICE EACH	
	Galv. Iron	Polished Brass		Galv. Iron	Polished Brass
3	\$ 8.50	\$11.50	8	\$38.00	\$48.00
4	10.50	14.00	9	46.00	56.00
6	18.00	23.00	10	60.00	76.00
6	24.00	30.00	12	74.00	86.00
7	30.00	36.00			

“Perko” Riveted Hood Ventilator WITH BRONZE SWIVEL DECK PLATE

Made of heavy gauge sheet iron, hot galvanized or brass. All joints riveted. Brass rim around mouth on galvanized vents. Complete with cover for deck plate when vent is removed.




Fig. 368

Deck Plate Size Inches	Diam. Mouth Inches	Height Overall Inches
3	6	8
4	8	11
5	10	13
6	12	15
7	14	19
8	16	20
9	18	23
10	20	25
12	24	30

PRICE EACH

Deck Plate Size Inches	PRICE EACH		Deck Plate Size Inches	PRICE EACH	
	Galv. Iron	Polished Brass		Galv. Iron	Polished Brass
3	\$20.00	\$23.00	8	\$48.00	\$58.00
4	23.40	28.00	9	56.00	66.00
5	30.00	35.00	10	68.00	86.00
6	34.00	42.00	12	84.00	100.00
7	42.50	50.50			

THE SIZES SHOWN ON THE ABOVE VENTILATORS ARE STANDARD. SPECIAL DIAMETERS AND LENGTHS CAN BE FURNISHED, MADE TO ORDER. SPECIAL PLATED OR PAINTED FINISHES AT SMALL ADDITIONAL CHARGE.



"Perko" Regular Deck Plates

CAST BRONZE

Complete with key.

Can be furnished with words "water," "gas," "oil," "fuel," stamped in cover.



Fig. 526

Diameter Opening Inches	Diameter Plate Inches	Weight Each	Price Each
1	2½	3 oz.	\$.80
1½	3¼	5½ oz.	.90
2	3½	8½ oz.	1.35
2½	4½	14 oz.	1.60
3	4¾	1 lb.	2.20
3½	5½	1½ lbs.	2.70
4	5¾	1¾ lbs.	2.90
4½	6¾	2¾ lbs.	3.70
5	7½	3½ lbs.	5.25
6	8¼	3¾ lbs.	6.00
7	9¼	5¼ lbs.	9.25
8	10¼	6½ lbs.	14.00
9	11¾	7½ lbs.	17.50
10	12½	9 lbs.	21.50
12	14¾	11 lbs.	31.00

"Perko" Ventilator Deck Plate

CAST BRONZE

Complete with key and extra ring for hood ventilator.



Fig. 527

Diameter Opening Inches	Diameter Plate Inches	Weight Each	Price Each	
			Complete	Rings Only
2	3¾	12 oz.	\$ 2.80	\$.95
2½	4½	1 lb.	3.40	1.05
3	4¾	1¼ lbs.	3.50	1.10
3½	5½	1¾ lbs.	4.20	1.20
4	5¾	2¼ lbs.	4.70	1.55
4½	6¾	3¼ lbs.	5.75	1.65
5	7½	3¾ lbs.	7.50	1.75
6	8¼	4½ lbs.	10.00	3.40
7	9¼	6½ lbs.	14.50	5.25
8	10¼	7½ lbs.	20.50	6.50
9	11¾	9 lbs.	24.50	7.00
10	12½	10½ lbs.	29.00	7.50
12	14¾	13 lbs.	40.25	9.25

"Perko" Pipe Deck Plates

CAST BRONZE

Standard iron pipe size thread. Complete with key.

Can be furnished with words "water," "gas," "oil," "fuel," stamped in cover.



Fig. 528

Size Opening Inches	Price Each	Size Opening Inches	Price Each
¾	\$.80	3	\$ 4.10
1	1.00	3½	6.50
1¼	1.35	4	9.00
1½	1.70	5	11.00
2	2.00	6	14.00
2½	3.10		

"Perko" Garboard Drain Plug

CAST BRONZE

A few of these installed in garboard allows quick drainage of boat when hauled out, by removing heavy plug. Complete with wrench for removing plug, tapered thread, 1-in. pipe size. Absolutely water-tight.




Fig. 124

Diam. Flange Inches	Depth Inches	Weight Oz.
2¾	1	10

PRICE EACH

Complete with Wrench \$1.25

"Perko" Swivel Rings

FOR VENTILATORS—CAST BRONZE

When used with hood, ventilator allows it to be turned in any position desired. Complete with thumb screws for fastening.



Fig. 419

Size Opening Inches	Price Each	Size Opening Inches	Price Each
3	\$ 4.00	8	\$12.00
4	6.00	9	14.00
5	7.50	10	20.00
6	9.00	11	22.00
7	10.00	12	24.00

"Perko" Automatic Boat Drain

CAST BRONZE

For use in life boats. Made of heavy cast bronze, with hollow rubber ball valve. Cast bronze cover with chain attached.



Fig. 213

Size Opening Inches	Diam. Flange Inches	Price Each
1¼	3¾	\$4.00

ALL OF THE DECK PLATES SHOWN ON THIS PAGE CAN BE FURNISHED IN CAST NICKEL SILVER. ADD 20% TO ABOVE PRICES.

"Perko" Fender Moulding

BRASS AND NICKEL SILVER

Hollow inside with flat face allowing screw heads to fit flush with surface, tapered edges to make neat fit.




Fig. 227

Outside Width Inches	Projection Inches	Weight Per Foot Lbs.	Price Per Foot	
			Brass	Nickel Silver
3/4	3/8	1/4	\$.20	\$.35
1	7/8	1/2	.35	.60
1 1/4	3/4	3/4	.60	.75

Furnished with holes drilled at small additional charge. Send information as to size of holes spacing, etc.

"Perko" Moulding Ends

CAST BRONZE AND NICKEL SILVER

For finishing off ends of moulding, Fig. 227.




Fig. 228

For Moulding Inches	Length Overall Inches	Weight Each Oz.	Price Each	
			Polished Bronze	Nickel Silver
1	2 1/2	1 1/2	\$.40	\$.45
1 1/4	3	2 1/2	.60	.65

"Perko" Fender Moulding Couplings

CAST BRONZE AND NICKEL SILVER

Fits inside moulding at joint, where two pieces are joined together.



Fig. 229

Width Inches	Length Inches	For Moulding Inches
3/4	2 1/2	1
1	3	1 1/4

PRICE EACH

Width Inches	Bronze	Nickel Silver
3/4	\$.20	\$.25
1	.30	.35

"Perko" Hatch Moulding

BRASS AND NICKEL SILVER

This type moulding insures a smooth and neat surface, as it is fastened to hatch on side, screw heads are invisible when hatch is closed.




Fig. 232

Width Surface Inches	Depth Inches	Weight Per Foot Oz.	Price Per Foot	
			Brass	Nickel Silver
3/4	1 1/8	10	\$.50	\$.70

Furnished with holes drilled at small additional charge. Send information as to size of holes spacing, etc.

"Perko" Flat Hatch Trim

BRASS AND NICKEL SILVER

For neat finishing around edge of hatch. Made of 18 B & S gauge metal in standard lengths.



Fig. 243

Width Inches	Weight Per Foot Oz.	Price Per Foot	
		Brass	Nickel Silver
1 1/4	3	\$.22	\$.36

Furnished with holes drilled at small additional charge. Send information as to size of holes spacing, etc.

"Perko" Mast Track and Slides

NICKEL SILVER

Does away with use of old style mast hoops, permits instant dropping of sail or quick changing of sails when racing. The neatest type of sail rigging for good looking boats. Holes drilled 2 3/4 inches apart center to center.

Slide

Track



Fig. 98

Slides Price Each
\$.15
.20



Fig. 99

Width Track Inches	Track Price Per Foot
3/4	\$.25
7/8	.30

"Perko" slides will fit any make of track of corresponding design and size.



"Perko" Streamline Fittings

Are made of the highest grade of bronze or nickel silver castings. These fittings all follow the same design and will match all other "Perko" streamline items on the deck, such as running lights, flagpole sockets, ventilators, etc. They will add to the appearance of any boat and are good, strong, practical fittings in use.

"Perko" Streamline Cleat
CAST BRONZE AND NICKEL SILVER



Fig. 114

Length Overall Inches	Size Base Inches	For Rope Diameter Inches
2½	1 x 2	Up to ½
3½	1½ x 2¾	Up to ¾
4½	1½ x 3¼	Up to ¾
5½	1¾ x 4	Up to 1

PRICE EACH

Length Inches	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
2½	\$.70	\$.95	\$1.00	\$1.40
3½	.90	1.15	1.20	1.80
4½	1.25	1.50	1.60	2.20
5½	1.65	1.90	2.00	3.00

"Perko" Streamline Stern Chock
CAST BRONZE AND NICKEL SILVER
OPEN PATTERN



Fig. 116

Length Overall Inches	Width Base Inches	For Rope Diameter Inches
3	¾	Up to ½
4	1	Up to 5/8
5	1½	Up to ¾
6	1¾	Up to 1

PRICE EACH

Length Inches	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
3	\$.65	\$.85	\$.95	\$1.30
4	.75	.95	1.05	1.50
5	1.10	1.30	1.40	2.00
6	1.40	1.80	2.00	2.50

"Perko" Streamline Bow Chocks
CAST BRONZE AND NICKEL SILVER
OPEN PATTERN



Fig. 115

Length Overall Inches	Width Base Inches	For Rope Diameter Inches
3½	¾	Up to ½
4½	1	Up to 5/8
5½	1½	Up to ¾
6½	1¾	Up to 1

PRICE PER PAIR

Length Inches	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
3½	\$1.20	\$1.50	\$1.60	\$2.40
4½	1.50	1.80	1.90	3.00
5½	2.40	2.70	2.80	4.00
6½	3.25	3.55	3.75	5.00

"Perko" Streamline Stern Chocks
CLOSED PATTERN



Fig. 118

Length Overall Inches	Width Base Inches	For Rope Diameter Inches
3	¾	Up to 5/8
4	1	Up to ¾
5	1½	Up to 1
6	1¾	Up to 1½

PRICE EACH

Length Inches	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
3	\$.85	\$1.10	\$1.25	\$1.70
4	1.00	1.25	1.40	2.00
5	1.50	1.75	1.90	2.50
6	2.00	2.40	2.60	3.25

"Perko" Streamline Bow Chocks
CLOSED PATTERN



Fig. 117

Length Overall Inches	Width Base Inches	For Rope Diameter Inches
3½	¾	Up to 5/8
4½	1	Up to ¾
5½	1½	Up to 1
6½	1¾	Up to 1½

PRICE PER PAIR

Length Inches	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
3½	\$1.50	\$1.90	\$2.10	\$3.00
4½	2.00	2.40	2.60	4.00
5½	2.75	3.25	3.50	5.00
6½	3.75	4.25	4.50	6.50



"Perko" Open Base Cleat

CAST BRONZE AND NICKEL SILVER




Fig. 544

Length Inches	Weight Oz.	Price Each			
		Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
3½	2½	\$.45	\$.65	\$1.00	\$.60
4½	3½	.55	.75	1.10	.75
5½	4½	.80	1.00	1.50	1.00
6	8	.90	1.15	1.80	1.20
8	11	1.25	1.75	2.35	1.65
10	2 lbs.	1.85	2.50	3.25	2.35

"Perko" Beveled Bow Chocks

CAST BRONZE AND NICKEL SILVER



Fig. 546

Length Overall Inches	Width Inches	Opening Inches	Weight Per Pair
3	¾	⅓	5 oz.
4	¾	¾	8 oz.
4½	¾	¾	12 oz.
5½	1	1	1¼ lbs.
6	1½	1	1¾ lbs.
8	1¾	1	2½ lbs.

PRICE PER PAIR

Length Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
3	\$1.00	\$1.40	\$2.20	\$1.45
4	1.25	1.65	2.50	1.75
4½	1.40	1.80	2.90	1.90
5½	2.25	2.75	4.00	2.75
6	2.80	3.20	4.60	3.25
8	3.80	4.30	6.00	4.25

"Perko" Transverse Cleat

CAST BRONZE AND NICKEL SILVER



Fig. 545

Length Inches	Weight Oz.	Price Each			
		Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
3½	3	\$.85	\$1.05	\$1.40	\$.80
4½	4	.95	1.15	1.70	.95
5½	5	1.05	1.25	2.20	1.05
6	7	1.25	1.45	2.70	1.25

"Perko" Straight Stern Chocks

CAST BRONZE AND NICKEL SILVER



Fig. 119

Length Overall Inches	Opening for Rope Inches	Width Inches	Weight Oz.
4	½	¾	5
4½	¾	¾	6
5	¾	1	8
6	1	1¼	13

PRICE EACH

Length Overall Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
4	\$.55	\$.80	\$1.50	\$.85
4½	.75	1.00	1.75	1.05
5	.95	1.20	1.90	1.30
6	1.20	1.45	2.20	1.55

"Perko" Hollow Cleats

CAST BRONZE AND NICKEL SILVER



Fig. 572

Length Inches	Weight Oz.	Price Each			
		Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
4½	8	\$1.20	\$1.40	\$2.10	\$1.35
5½	9	1.40	1.60	2.40	1.60
6½	10	1.75	2.00	2.90	2.00
8	20	2.25	2.50	3.70	2.50

"Perko" Fender Hooks

CAST BRONZE AND NICKEL SILVER



Fig. 547

"Perko" Fender Cleat

CAST BRONZE AND NICKEL SILVER



Fig. 444

Length Inches	Base Inches	Weight Oz.	Price Each			
			Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
2¼	1½ x 1	2½	\$.50	\$.60	\$1.10	\$.60

Length Overall Inches	Width Overall Inches	Price Each			
		Polished	Nickel Plated	Chromium Plated	Nickel Silver
1¼	1¼	\$.40	\$.60	\$1.00	\$.50



"Perko" Upright Flag Pole Sockets

CAST BRONZE AND NICKEL SILVER
BOW SOCKET

Without ferrule

With removable ferrule



Fig. 500

Inside Diam. Inches	Diam. Flange Inches	Inside Diam. Ferrule Inches	Height Socket Inches	Weight Oz.
1/2	1 5/8	...	1 3/8	4
5/8	1 7/8	...	1 1/2	5
3/4	2 1/8	1 1/8	1 3/4	7
7/8	2 1/4	1 1/4	1 7/8	8
1	2 1/2	1 1/2	2	8 1/2
1 1/4	2 3/4	1 3/4	2 1/8	11



Fig. 220

PRICE EACH

Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1/2	\$.70	\$.95	\$1.90	\$.95	3/4	\$1.25	\$1.50	\$2.50	\$1.50
5/8	.80	1.05	2.00	1.05	7/8	1.35	1.65	2.65	1.65
3/4	1.15	1.40	2.40	1.40	1	1.50	1.75	2.75	1.75
7/8	1.25	1.55	2.55	1.55	1 1/4	2.00	2.25	3.50	2.25
1	1.40	1.65	2.65	1.65					
1 1/4	1.90	2.15	3.40	2.15					

STERN SOCKET



Fig. 501

Inside Diam. Inches	Diam. Flange Inches	Inside Diam. Ferrule Inches	Height Socket Inches	Weight Oz.
1/2	1 5/8	...	1 3/8	4
5/8	1 7/8	...	1 1/2	5
3/4	2 1/8	1 1/8	1 3/4	7
7/8	2 1/4	1 1/4	1 7/8	8
1	2 1/2	1 1/2	2	8 1/2
1 1/4	2 3/4	1 3/4	2 1/8	11



Fig. 221

PRICE EACH

Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1/2	\$.75	\$1.00	\$2.00	\$1.00	3/4	\$1.30	\$1.55	\$2.60	\$1.55
5/8	.85	1.10	2.15	1.10	7/8	1.40	1.65	2.80	1.65
3/4	1.20	1.45	2.50	1.45	1	1.55	1.80	3.00	1.80
7/8	1.30	1.55	2.70	1.55	1 1/4	2.25	2.50	3.75	2.50
1	1.45	1.70	2.90	1.70					
1 1/4	2.15	2.40	3.65	2.40					

"Perko" Flush Flag Pole Sockets

CAST BRONZE AND NICKEL SILVER
BOW SOCKET



Fig. 522

Inside Diam. Inches	Diam. Flange Inches	Inside Diam. Ferrule Inches	Depth Socket Inches	Weight Oz.
1/2	1 1/2	...	1 1/8	2
5/8	1 3/4	...	1 3/8	2 1/2
3/4	2	1 1/8	1 1/2	4 1/2
7/8	2 1/8	1 1/4	1 5/8	4 3/4
1	2 3/8	1 1/2	1 3/4	6
1 1/4	2 7/8	1 3/4	2	10




Fig. 218

PRICE EACH

Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1/2	\$.50	\$.75	\$1.50	\$.75	3/4	\$.75	\$1.00	\$1.65	\$1.00
5/8	.55	.80	1.60	.80	7/8	.85	1.10	1.90	1.10
3/4	.65	.90	1.65	.90	1	.90	1.15	2.00	1.15
7/8	.75	1.00	1.80	1.00	1 1/4	1.65	1.80	3.10	1.80
1	.80	1.05	1.90	1.05					
1 1/4	1.55	1.70	3.00	1.70					

STERN SOCKET



Fig. 523

Inside Diam. Inches	Diam. Flange Inches	Inside Diam. Ferrule Inches	Depth Socket Inches	Weight Oz.
1/2	1 1/2	...	1 3/8	2
5/8	1 3/4	...	1 3/8	2 1/2
3/4	2	1 1/8	1 1/2	5 1/2
7/8	2 1/8	1 1/4	1 3/4	6
1	2 3/8	1 1/2	2	7
1 1/4	2 7/8	1 3/4	2 1/4	10



Fig. 219

PRICE EACH

Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Diam. Inches	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1/2	\$.55	\$.80	\$1.50	\$.80	3/4	\$.80	\$1.05	\$1.75	\$1.05
5/8	.60	.85	1.55	.85	7/8	.90	1.15	2.00	1.15
3/4	.70	.95	1.65	.95	1	.95	1.20	2.15	1.20
7/8	.80	1.05	1.90	1.05	1 1/4	1.90	2.15	3.25	2.15
1	.85	1.10	2.05	1.10					
1 1/4	1.80	2.05	3.15	2.05					

"Perko" Runabout Flag Pole Socket

CAST BRONZE AND NICKEL SILVER

Unique design of flange makes this a good looking deck fitting. Complete with set screw for holding pole fast in place.



Fig. 541

Inside Diam. Inches	Size Flange Inches	Depth Socket Inches	Weight Oz.
1 1/4	3 1/2 x 3 1/2	2 1/2	12
PRICE EACH			
Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$2.00	\$2.50	\$3.00	\$2.50

"Perko" Streamline Flag Pole Socket

CAST BRONZE AND NICKEL SILVER

Designed for the better class of runabouts. These sockets will match all other "Perko" streamline deck fittings.



Fig. 222

Diam. Socket Inches	Size Flange Inches	Depth Socket Inches	Weight Lbs.
1 1/4	2 7/8 x 5	2 1/2	1 1/4
PRICE EACH			
Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$2.80	\$3.25	\$4.50	\$3.25

"Perko" Runabout Flag Pole Socket

WITH REMOVABLE FERRULE

Same as Fig. 541 above. Furnished with brass ferrule to fit base of pole, prevents splitting or swelling of wood. Inside diameter ferrule, 1 1/8 inches.



Fig. 224

PRICE EACH			
Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$2.20	\$2.80	\$3.50	\$2.80

"Perko" Streamline Flag Pole Socket

WITH REMOVABLE FERRULE

Same as Fig. 222 above. Furnished with brass ferrule to fit base of pole, prevents splitting or swelling of wood. Inside diameter ferrule, 1 1/8 inches.



Fig. 223

PRICE EACH			
Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$3.00	\$3.55	\$5.00	\$3.55

"Perko" Transom Flag Pole Socket

CAST BRONZE AND NICKEL SILVER

Designed for outboard motor boats or runabouts that have no decking in stern for regular type of socket.



Fig. 225

Diam. Socket Inches	Depth Socket Inches	Length Base Inches	Width Base Inches	Weight Oz.
3/4	1 1/4	3 1/4	1 1/2	8
PRICE EACH				
Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	
\$1.00	\$1.25	\$2.25	\$1.35	

"Perko" Mooring Bitt

CAST BRONZE AND NICKEL SILVER

One solid casting, except horizontal bar, which is of bronze rod and goes clear through casting, brazed both ends.




Fig. 608

No.	Size Base Inches	Height Inches	Net Weight Lbs.		
1	3 x 3	2 1/2	7/8		
2	4 1/2 x 4 1/2	3 1/2	1 1/8		
3	6 x 6	5	5 3/8		
PRICE EACH					
No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
1	\$2.50	\$3.00	\$ 5.00	\$3.00	\$2.50
2	3.50	4.00	6.00	4.00	3.50
3	7.75	8.25	10.75	8.25	7.75



"Perko" Hatch Handle

CAST BRONZE, NICKEL SILVER AND ALUMINUM




Fig. 185

Length Overall Inches	Height Overall Inches	Size Opening Inches	Weight Oz.
5	1 1/8	3 1/4 x 1	6

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$.90	\$1.25	\$1.60	\$1.00	\$.90

"Perko" Lifting Handle

CAST BRONZE, NICKEL SILVER AND ALUMINUM



Fig. 186

Length Overall Inches	Height Inches	Width Base Inches	Size Opening Inches	Weight Oz.
6 7/8	2	1 1/4	3 3/4 x 1 1/2	12

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$1.00	\$1.35	\$1.85	\$1.25	\$1.00

"Perko" Lifting Handle and Cleat

CAST BRONZE, NICKEL SILVER AND ALUMINUM

Made from one solid casting—neat and practical—makes good strong cleat for tying up or towing.



Fig. 540

Length Overall Inches	Height Inches	Size Base Inches	Length Grip Inches	Weight Bronze Oz.
4 5/8	2 1/4	1 1/2 x 2 1/2	3 3/4	11

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$1.25	\$1.75	\$2.50	\$1.75	\$1.25

"Perko" Base for Lifting Rings

CAST BRONZE

Designed for fastening to keel of boat by bolts, holes are drilled for 3/8 inch diameter bolt.



Fig. 446

Size Base Inches	Height Inches	Threaded for Rod Inches	Weight Oz.
3 x 1 3/8	1 1/2	5/8	7

PRICE EACH

Plain Bronze	\$.60
--------------	--------

"Perko" Lifting Ring

WITH ROUND BASE

CAST BRONZE AND NICKEL SILVER

Made in two sizes, No. 1 for outboard boats, No. 2 for runabouts.



Fig. 187

Nos.	Height Overall Inches	Diam. Eye Inches	Diam. Base Inches	Threaded for Rod Inches	Weight Lbs.
1	3	1 1/8	2	5/8	1/2
2	4 1/8	2	2 1/2	5/8	1

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$1.85	\$2.25	\$3.25	\$2.25
2	2.75	3.25	4.25	3.25

"Perko" Lifting Ring and Cleat

WITH ROUND BASE

CAST BRONZE AND NICKEL SILVER



Fig. 188

Nos.	Height Overall Inches	Length Overall Inches	Diam. Eye Inches	Diam. Base Inches	Threaded for Rod Inches
3	3	4	1 1/8	2	5/8
4	4 1/8	5 1/4	2	2 1/2	5/8

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
3	\$2.00	\$2.50	\$3.50	\$2.50
4	3.00	3.50	4.50	3.50

"Perko" Lifting Ring and Cleat

WITH RECTANGULAR BASE

CAST BRONZE AND NICKEL SILVER



Fig. 542

No.	Length Overall Inches	Height Overall Inches	Diam. Eye Inches	Size Base Inches	Threaded for Rod Inches	Weight
5	4	2 3/8	1 1/8	1 1/2 x 2 1/2	5/8	13 oz.
6	6 3/8	3 3/8	2	2 1/4 x 4 1/4	1	2 1/2 lbs.

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
5	\$3.00	\$3.50	\$4.50	\$3.50
6	4.00	4.50	6.00	4.50



"Perko" Bow Plate

CAST BRONZE, NICKEL SILVER, AND ALUMINUM



Fig. 494

Size Plate Inches	Diam. Eye Inches	Weight Bronze Oz.	Weight Aluminum Oz.
4 1/8 x 4 3/8	1/2	10	2 1/2

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$1.30	\$1.60	\$2.25	\$1.60	\$1.30

"Perko" Bow Plate

STREAMLINE PATTERN

CAST BRONZE, NICKEL SILVER, AND ALUMINUM




Fig. 181

Size Plate Inches	Size Eye Inches	Weight Bronze Oz.
4 1/4 x 4 1/2	3/4	12

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated	Polished Aluminum
\$1.40	\$1.70	\$1.60	\$2.50	\$1.40

"Perko" Combination Bow Plate

CAST BRONZE AND NICKEL SILVER

A bow plate and bow chock combined—small size for outboard motorboats—large size for runabouts.



Fig. 543

No.	Length Inches	Width Inches	Diam. Rope Inches	Weight Oz.
1	3 3/4	4 1/4	Up to 5/8	11
2	3 3/4	4 1/4	Up to 1	15

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$2.50	\$2.75	\$4.00	\$3.00
2	3.50	3.75	5.00	4.00

"Perko" 3 in 1 Bow Plate

CAST BRONZE, NICKEL SILVER, AND ALUMINUM



Patent applied for

Fig. 499

Size Plate Inches	Diam. Socket Inches	Chocks for Rope Inches	Weight Bronze Oz.	Weight Aluminum Oz.
4 1/8 x 4 3/8	5/8	5/8	13	4 1/4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$3.00	\$3.50	\$4.80	\$3.50

"Perko" Combination Bow Plate

CAST BRONZE, NICKEL SILVER, AND ALUMINUM



Patent applied for

Fig. 539

Size Plate Inches	Diam. Eye Inches	Chocks for Rope Inches	Weight Bronze Oz.	Weight Aluminum Oz.
4 1/8 x 4 3/8	3/4	3/4	11	4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$3.00	\$3.50	\$4.80	\$3.50

"Perko" Ring on Plate

STREAMLINE PATTERN

CAST BRONZE AND NICKEL SILVER



Fig. 182

No.	Length Base Inches	Width Base Inches	Diam. of Ring Inches	Weight Oz.
1	2 3/4	1 1/2	1 1/4	4
2	3 1/4	1 3/8	1 1/8	6

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$1.10	\$1.35	\$2.50	\$1.50
2	1.25	1.50	3.00	1.75

"Perko" Ring and Deck Strap

CAST BRONZE




Fig. 183

Diam. Ring Inches	Length Strap Inches	Width Strap Inches	Weight Oz.
1 1/8	3	5/8	4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$.90	\$1.15	\$1.75

"Perko" Tiller Rope Pulley

CAST BRONZE



Fig. 110

Well constructed of heavy cast bronze, large diameter bronze wheel gives quick action and minimum wear to tiller rope. Wheel will take up to $\frac{1}{8}$ inch diameter rope.

Height Overall Inches	Diam. Wheel Inches	Size Eye Inches	Weight Each Oz.
3 $\frac{3}{4}$	1 $\frac{7}{8}$	$\frac{3}{8}$ x $\frac{3}{4}$	8

Price Each, Plain Bronze \$1.10

"Perko" Tiller Rope Pulley

SWIVEL EYE AND STRAP

CAST BRONZE



Fig. 585

For Rope Diam. Inches	Length Overall Inches	Diam. Wheel Inches	Length Strap Inches	Weight Oz.
$\frac{3}{8}$	3 $\frac{1}{2}$	1 $\frac{7}{8}$	2	6

PRICE EACH

Plain Bronze \$0.90

Polished Bronze \$1.50

"Perko" Tiller Rope Pulley

WITH FLANGE EYE

CAST BRONZE




Fig. 111

Pulley is same as Fig. 110 above, furnished complete with flange eye of cast bronze drilled for large screws, a sturdy and dependable fitting.

Length Flange Eye Inches	Width Flange Eye Inches	Weight Complete Oz.
3	$\frac{5}{8}$	9

Price Each, Plain Bronze \$1.25

"Perko" Tiller Rope Guides

UPRIGHT PATTERN—CAST BRONZE

Cast bronze base, brass wheel turned from rod. Wheel turns very freely and has no rough surfaces to wear tiller rope.



Fig. 593

For Rope Diam. Inches	Size Base Inches	Weight Oz.
$\frac{3}{8}$	$\frac{7}{8}$ x 1 $\frac{1}{2}$	2

PRICE EACH

Polished Bronze \$.60

Nickel Plated \$.95

Chromium Plated \$1.40

"Perko" Tiller Rope Pulley

WITH SWIVEL SHACKLE

CAST BRONZE



Fig. 112

Pulley is same as Fig. 110 above, furnished complete with swivel shackle of cast bronze, loose pin in shackle held by brass cotter pin. This combination is ideal for racing boats, where quick and positive steering action is necessary.

Length Overall Complete Inches	Diam. Pin in Shackle Inches	Weight Complete Oz.
5 $\frac{1}{4}$	$\frac{3}{4}$	11

Price Each, Plain Bronze \$2.50

"Perko" Tiller Rope Guides

SIDE PATTERN—CAST BRONZE

Cast bronze base, brass wheel turned from rod.



Fig. 594

For Rope Diam. Inches	Size Base Inches	Weight Oz.
$\frac{3}{8}$	$\frac{3}{4}$ x 1 $\frac{1}{2}$	1 $\frac{1}{2}$

PRICE EACH

Polished Bronze \$.60

Nickel Plated \$.95

Chromium Plated \$1.40

"Perko" Tiller Rope Pulley

WITH SNAP HOOK




Fig. 113

Pulley same as Fig. 110, furnished complete with strong snap hook. Handy for use with outboard motors.

Length Overall, Complete	7 inches
Weight Each	10 ounces

Price Each, Plain Bronze \$1.25

"Perko" Tiller Rope Pulley

WITH FLANGE EYE—CAST BRONZE

Pulley hangs loose on flange eye and can be used at any angle. Cast bronze body, brass wheel turned from rod, no rough surface to wear tiller rope.



Fig. 579

For Rope Diam. Inches	Length Pulley Inches	Size Wheel Inches	Size Base of Strap Inches
$\frac{3}{8}$	1 $\frac{3}{4}$	1 x $\frac{1}{2}$	$\frac{3}{4}$ x 2

PRICE EACH

Plain Bronze \$.85

Polished Bronze \$.90

Nickel Plated \$1.30

Chromium Plated \$2.10

"Perko" Swivel Eye Pulley

CAST BRONZE

A good substantial pulley that will stand up under maximum strain, body is made from one solid casting, wheel is turned from brass rod, runs very freely, no rough edges to cut or wear rope. Diameter eye, $\frac{1}{8}$ inch.



Fig. 577

No.	For Rope Diam. Inches	Length Shell Inches	Size Sheave Inches	Weight Oz.
1	$\frac{1}{8}$	2	1 x $\frac{1}{8}$	4
2	$\frac{3}{8}$	2 $\frac{1}{4}$	1 $\frac{3}{8}$ x $\frac{1}{8}$	6

PRICE EACH

No.	Plain Bronze	Polished Bronze	Nickel Plated	Chromium Plated
1	\$.75	\$1.05	\$1.40	\$2.25
2	.85	1.20	1.60	2.50

"Perko" Rail Hinge

CAST BRONZE AND NICKEL SILVER

Made to fit standard hand rail on high class yachts and cruisers.



Fig. 122

No.	Size Rail Inches	Length Inches	Weight Lbs.
1	1 $\frac{1}{2}$ x 2 $\frac{1}{2}$	5	1 $\frac{7}{8}$
2	1 $\frac{3}{8}$ x 3	3 $\frac{3}{8}$	1 $\frac{1}{4}$

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$4.00	\$5.00	\$7.00	\$5.00
2	4.00	5.00	7.00	5.00

"Perko" Swivel Bolt Pulley

CAST BRONZE

A very strong pulley, bolt is held in by very large and sturdy head, hexagon brass nuts on other end, cannot be pulled off, body made from solid casting, wheel turned from brass rod. Size of bolt, $\frac{1}{4}$ inch, diameter, 2 inches long.



Fig. 578

No.	For Rope Diam. Inches	Length Shell Inches	Size Sheave Inches	Weight Oz.
3	$\frac{1}{4}$	2	1 x $\frac{1}{8}$	5
4	$\frac{3}{8}$	2 $\frac{1}{4}$	1 $\frac{3}{8}$ x $\frac{1}{8}$	7

PRICE EACH

No.	Plain Bronze	Polished Bronze	Nickel Plated	Chromium Plated
3	\$.85	\$1.15	\$1.50	\$2.35
4	.90	1.30	1.70	2.50

"Perko" Flush Rail Lock

CAST BRONZE AND NICKEL SILVER

Lies flush with top of rail when closed. Strong spring catch on bottom to hold rail end in position. A very practical fitting.




Fig. 123

No.	Size Rail Inches	Length Inches	Weight Lbs.
1	1 $\frac{1}{2}$ x 2 $\frac{1}{2}$	5	1 $\frac{7}{8}$
2	1 $\frac{3}{8}$ x 3	3 $\frac{3}{8}$	1 $\frac{1}{4}$

PRICE PER SET

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$4.50	\$5.50	\$8.00	\$5.50
2	4.50	5.50	8.00	5.50

"Perko" Loose Swivel Bolt Pulley

CAST BRONZE

Body one solid casting, wheel turned from brass rod, bolt made of cast bronze, large eye, complete with nuts and washers.



Fig. 589

No.	For Rope Diam. Inches	Length Shell Inches	Size Sheave Inches	Weight Oz.
6	$\frac{1}{8}$	2	1 x $\frac{1}{8}$	6
7	$\frac{3}{8}$	2 $\frac{1}{4}$	1 $\frac{3}{8}$ x $\frac{1}{8}$	8

PRICE EACH

No.	Plain Bronze	Polished Bronze	Nickel Plated	Chromium Plated
6	\$1.30	\$1.60	\$2.00	\$3.00
7	1.10	1.75	2.20	3.40

"Perko" Flange Eyes

CAST BRONZE AND NICKEL SILVER

A sturdy fitting that can be used as tiller rope guide or strap for pulleys.



Fig. 580

Length Overall Inches	Width Overall Inches	Size Opening Inches	Weight Oz.
2	$\frac{3}{4}$	$\frac{3}{8}$	1

PRICE EACH

Plain Bronze	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$.24	\$.37	\$.60	\$1.40	\$.50

"Perko" Swivel Shackle

CAST BRONZE

A small fitting, but exceptionally strong and practical. Useful for hooking up tiller rope pulleys on outboard motors.



Fig. 449

Size Inches	Length Inches	Width Inside Shackle Inches	Diam. Pin Inches	Weight Oz.
$\frac{1}{4}$	2 $\frac{3}{4}$	$\frac{1}{2}$	$\frac{1}{4}$	2

Price Each, plain bronze **\$1.30**



"Perko" Aluminum Racing Fin

Cast silicon aluminum 10% alloy (salt water resisting). Heavy rubber gasket, 4 brass machine screws and wing nuts.



Fig. 493

Size Blade Inches	Size Base Inches	Weight Lbs.
7 ⁵ / ₈ x 5 x 3 ¹ / ₂	1 ⁷ / ₈ x 8 ¹ / ₂	1 ⁵ / ₈

PRICE EACH

Without gasket, screws and nuts	\$2.50
With gasket, screws and nuts	2.75

"Perko" Aluminum Racing Fin

CAST SILICON ALUMINUM



Fig. 189

Length Overall Inches	Depth Blade Inches	Size Flange Inches	Weight Lbs.	Price Each
12 ¹ / ₂	5	2 ¹ / ₂ x 10	1 ¹ / ₂	\$2.50

"Perko" Aluminum Racing Fin

CAST SILICON ALUMINUM



Fig. 190

Length Overall Inches	Depth Blade Inches	Size Flange Inches	Weight Lbs.	Price Each
9	5 ¹ / ₂	2 x 9	1 ¹ / ₂	\$2.50

"Perko" Improved Racing Fin

CAST SILICON ALUMINUM

This fin is all one solid casting, including the bolts, which are cast to flange, complete with brass wing nuts, distance from center to center of bolts 7³/₈ inches.




Fig. 191

Length Overall Inches	Depth Blade Inches	Diam. Bolt Inches	Length Bolt Inches	Width Flange Inches	Price Each
11 ¹ / ₂	4 ¹ / ₂	³ / ₈	1 ¹ / ₂	1 ¹ / ₂	\$4.50

"Perko" Gas Tank Caps and Flanges

CAST BRONZE AND NICKEL SILVER



Fig. 595

Threaded for Pipe Inches	Length Overall Inches	Diam. Flange Inches	Inside Diam. Flange Inches	Weight Complete Lbs.
1 ¹ / ₂	8	3 ⁷ / ₈	1 ¹ / ₂	2

PRICE EACH SET

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$3.00	\$3.00	\$3.75	\$5.40

"Perko" Stuffing Boxes

CAST BRONZE




Fig. 320

Size Shaft Inches	Size Flange Inches	Length Bearing Inches	Drilled for Fastening Inches	Weight Lbs.	Price Each
³ / ₄	4 ¹ / ₈ x 1 ³ / ₄	2 ⁵ / ₈	³ / ₈	1 ¹ / ₈	\$1.50
⁷ / ₈	4 ¹ / ₂ x 1 ⁷ / ₈	2 ⁷ / ₈	¹ / ₈	1 ¹ / ₂	1.80
1	4 ¹ / ₂ x 2 ¹ / ₄	3	¹ / ₈	1 ³ / ₄	2.20
1 ¹ / ₈	5 ¹ / ₈ x 2 ³ / ₈	3 ¹ / ₄	¹ / ₂	2 ¹ / ₄	2.60
1 ¹ / ₄	6 x 2 ⁵ / ₈	3 ³ / ₈	¹ / ₂	3	3.40
1 ¹ / ₂	6 ¹ / ₂ x 3	3 ⁷ / ₈	¹ / ₂	3 ¹ / ₂	4.20

"Perko" Stern Bearings

CAST BRONZE




Fig. 321

Size Shaft Inches	Size Flange Inches	Length Bearing Inches	Drilled for Fastening Inches	Weight Lbs.	Price Each
³ / ₄	4 ¹ / ₈ x 1 ³ / ₄	2 ⁵ / ₈	³ / ₈	13 oz.	\$1.00
⁷ / ₈	4 ¹ / ₂ x 1 ⁷ / ₈	2 ⁷ / ₈	¹ / ₈	1 lb.	1.35
1	4 ¹ / ₂ x 2 ¹ / ₄	3	¹ / ₈	1 ¹ / ₄	1.55
1 ¹ / ₈	5 ¹ / ₈ x 2 ³ / ₈	3 ¹ / ₄	¹ / ₂	1 ¹ / ₂	2.00
1 ¹ / ₄	6 x 2 ⁵ / ₈	3 ³ / ₈	¹ / ₂	2	2.70
1 ¹ / ₂	6 ¹ / ₂ x 3	3 ⁷ / ₈	¹ / ₂	2 ¹ / ₂	3.40

"Perko" Outlet Connections

CAST BRONZE

Used as outlet fittings for engines, pumps, lavatories, water closets, etc. Threaded to fit standard pipe. Complete with large flange lock nut.




Fig. 322

Size Pipe Inches	Length under Flange Inches	Weight Each	Price Each
1/4	1 5/8	1 oz.	\$.65
5/8	2 3/8	3	.75
1/2	2 3/8	4	.90
3/4	2 1/2	8	1.00
1	2 1/2	12	1.50
1 1/4	3	1 1/2 lbs.	2.00
1 1/2	3 5/8	2 1/4	2.50
2	3 1/2	2 1/2	4.00
2 1/2	3 1/2	3 1/4	5.00

"Perko" Inlet Connections

CAST BRONZE

A good, dependable connection, easy to install. Fits flush with outside of hull. Complete with large flange lock nut and hose coupling.




Fig. 64

Size Pipe Inches	For Planking Inches	Weight	Price Each	
			Without Strainer	With Strainer
1/4	7/8	2 oz.	\$1.15	\$1.50
3/8	1 1/8	4	1.25	1.75
1/2	1 1/8	7	1.50	2.00
3/4	1 1/8	10	1.75	2.25
1	1 1/4	1 lb.	2.25	2.75
1 1/4	1 3/4	2	3.50	4.50
1 1/2	2 1/4	2 3/4	4.00	5.50
2	2 1/2	3 3/4	6.00	7.50

"Perko" Water Outlet

CAST BRONZE AND NICKEL SILVER

For use on boats with water outlet on side of hull. Large flange protects hull from stain. Hood prevents spray entering boat. Standard pipe thread will fit standard lead pipe connections.



Fig. 332

No.	Size Pipe Inches	Diam. Flange Inches	Length of Pipe Inches	Weight
1	1/2	2 3/4	2 1/4	12 oz.
2	1	3	3 3/4	1 lb.

PRICE EACH

No.	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
1	\$2.00	\$2.50	\$2.50	\$4.00
2	2.75	3.25	3.25	5.00

"Perko" Speedboat Strainers

CAST BRONZE

Designed to prevent clogging. Will admit full supply of water at all speeds.



Fig. 65

Size Pipe Inches	Length Pipe Inches	Size Strainer Inches	Weight Each	Price Each
1/2	2 1/4	2 1/2 x 3 1/2	9 oz.	\$1.25
3/4	2 3/8	2 7/8 x 4	13	1.50
1	3	3 x 4	1 1/4 lbs.	2.00
1 1/4	3 3/8	4 1/8 x 6 1/8	3	3.00

"Perko" Scoop Strainers

CAST BRONZE

Can be used with inlet connection, Fig. 64. No. 1 will fit up to 1/2 inch. No. 2 will fit up to 1 inch. No. 3 will fit up to 1 1/4 inches.



Fig. 66

No.	Outside Dimensions Inches	Weight Each	Price Each
1	3 1/2 x 2 1/2	4 oz.	\$.28
2	5 x 3 1/4	7	.48
3	6 1/4 x 4 1/4	1 lb.	.75

"Perko" Hose Couplings

For lead pipe or hose connection. Complete with leather washer and nut. Threaded standard pipe size.



Fig. 67

Size Pipe Inches	Weight Each	Price Each
1/4	5 1/2 oz.	\$.60
1	8 oz.	.75
1 1/2	9 1/2 oz.	1.25
2	13 oz.	1.75

"Perko" Check Valves

CAST BRONZE

A simple but exceptionally dependable check valve. Threaded to fit standard pipe.



Fig. 273

Plunger



Fig. 68

Spring



Fig. 69

Size Pipe Inches	Length Overall Inches	Weight Each Lbs.
1/4	2 3/4	3/4
1	3	1
1 1/4	3	1 1/4
1 1/2	3 3/4	1 3/4

PRICE EACH

Size Pipe Inches	Complete	Plunger Only	Springs Only
1/4	\$1.90	\$.50	\$.08
1	2.10	.60	.10
1 1/4	2.50	.70	.12
1 1/2	3.00	.80	.14

"Perko" Shaft Couplings

GRAY IRON CASTINGS




Fig. 327

No.	Diam. Flange Inches	Length Overall Inches	Size Keyway Inches
1	4	3 1/2	1/4
2	4 1/2	4 1/8	5/8
3	5	4 3/4	3/8
14	6	6 1/2	1/2

Regular

No.	Size Shaft Inches	Price Each
1	3/4 - 7/8 - 1	\$2.80
2	3/4 to 1 1/2	3.40
3	1 1/8 to 1 1/2	4.10

Heavy

14	1 to 2	6.75
----	--------	------

PLEASE GIVE NUMBER AS WELL AS SIZE OF SHAFT WHEN ORDERING.



"Perko" Watertight Connection

DOUBLE CONTACT

DECK SOCKET. All brass, double contact, complete with threaded cap and chain as illustrated.

PLUG. All brass, double contact, threaded lock nut for fastening to deck socket, Fig. 423. Threaded cap with rubber gasket inside to prevent water running down cable.

Deck Socket




Fig. 423

All Metal Plug




Fig. 425

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
Socket Only	\$1.00	\$1.50	\$2.50
Plug Only	1.00	1.50	2.50

"Perko" Double Contact Socket (NO. 20)

A useful double contact socket with bakelite base. Will not break and uneffected by salt water.



Fig. 472

Diameter base 1 1/8 inches
Height 1 inch

Price Each \$.50

"Perko" Double Contact Adapter ALL BRASS

For converting oil fount into electric fount. Punch a hole in bottom of fount and screw adapter in place of oil burner.




Fig. 355

Price per dozen \$4.80

"Perko" Candelabra Adapter

For converting oil fount into electric fount. Punch a hole in bottom of fount and screw adapter in place of oil burner.



Fig. 356

Price per dozen \$6.00

"Perko" Watertight Connection

DOUBLE CONTACT

Cast bronze socket with cap and chain, as illustrated. Hard rubber plug locked in place by bronze cap with rubber gasket to prevent water running down wire.



Fig. 477

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
	\$1.80	\$2.25	\$3.00

"Perko" Double Contact Connection ALL METAL CASE

Brass, nickel plated, all parts threaded. Hard rubber interior. Length Closed 1 1/8 inches




Fig. 401

Price Each Complete \$1.00

"Perko" Cable Outlet

CAST BRONZE

Waterproof cable outlet with threaded cap and rubber gasket to prevent water running down cable. This fitting makes a watertight outlet on the boat and prevents wear on cable insulation from chafing.



Fig. 424

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
	\$.60	\$.80	\$1.25

"Perko" Flush Deck Socket WATERTIGHT

A double contact socket with cover and rubber gasket, watertight, flush with deck.

Heavy brass body and cover.



Fig. 357

Price Each \$1.30

"Perko" Electric Adapters



Fig. 405

Illustrating No. 670

No.		Price Each
510	D. C. Ediswan to Candelabra	\$.25
580	Candelabra to Miniature Base	.25
600	Standard to Candelabra or Miniature Base	.30
640	Candelabra to Standard Base	.50
650	D. C. Ediswan to Standard Base	.50
660	S. C. Ediswan to Standard Base	.50
670	Standard to D. C. Ediswan Base	.50
680	Standard to S. C. Ediswan Base	.50
690	Foreign to Standard Base	.60
830	Standard to Foreign Base	.60
840	Foreign to Ediswan D. C. Base	.60

"Perko" Plugs and Sockets

DOUBLE CONTACT

Made in two styles. Contact pin points in socket, Fig. 399, or in plug, Fig. 400. Brass, nickel plated flange, hard rubber insulation.



Fig. 399

Size Flange
1 1/8" x 1 1/2"



Fig. 400

Price Complete, either style

\$1.00

"Perko" Electric Connector

BRASS CASE—DOUBLE CONTACT

This is the type connector used in our pole light assembly, Figs. 481, 590 and 591. Hard rubber insulation, no springs to go wrong and cause trouble. We recommend this, as the most practical connector for use around salt water.



Fig. 404

Patent applied for

Diameter Flange Inches 1 1/4
Length Overall Closed Inches 2 3/8

Price Complete, as illustrated

\$1.25

"Perko" Electric Sockets

DOUBLE CONTACT

Brass, nickel plated casing and flange. Hard rubber insulation.

Single End Socket



Fig. 377

Double End Socket



Fig. 378

Size Flange
1 1/8" x 1 1/2"

Fig. 377—Single end socket
Fig. 378—Double end socket

Price Each
\$.50
.60

"Perko" All Metal Plug

DOUBLE CONTACT

This plug can be used with deck sockets, Figs. 357, 377 and 378. Brass, nickel plated casing, hard rubber insulation.



Fig. 383

Length overall, 1 1/2 in.

Price each

\$.25

"Perko" Duplex Electric Cable

Wires protected by waterproof insulation. Outside diameter 3/4 inch. Furnished in standard coils of 50, 100 and 1000 feet only.




Fig. 497

PRICE PER COIL

50 foot coils	\$ 3.00
100 foot coils	5.50
1000 foot coils	45.00

"Perko" Brass Cable Straps

For fastening electric cable along hull of boat. A neat and secure fastening.



Fig. 121

PRICE PER HUNDRED

For Wire Diam.	1/8 in.	3/16 in.	1/4 in.	5/16 in.	3/8 in.	1/2 in.	5/8 in.
	\$.90	\$.90	\$ 1.05	\$ 1.05	\$ 1.20	\$ 1.20	\$ 1.40

Larger sizes made to order



"Perko" "Beam" Searchlights

The bodies of these searchlights are made of heavy brass. Control mechanism, stands and yokes are all cast bronze.

REFLECTORS—are plated by a new process called "Palladium-Rhodium," which, according to Bureau of Standards tests, has a 20% higher light efficiency than other plating processes, such as chromium, nickel, etc. This plating is also more non-corrosive than chromium as it is not affected in any way by sulphur or hydrochloric conditions.

FRONT LENS—is convex and mounted in brass frame, which is easily removed.

WIRING—is protected by flexible metal hose and waterproof insulation.

PILOT HOUSE CONTROL—is of the lever type, which is quick acting and easy to handle.

BULBS—are 6, 12 or 32 volt, double contact. Double contact electric sockets are standard equipment.

THESE SEARCHLIGHTS WILL THROW A POWERFUL BEAM UP TO ½ MILE DISTANCE, DEPENDING ON WEATHER CONDITIONS.

"Sunbeam" Searchlight




Fig. 305

Outside Diameter	8 inches
Diameter Reflector	7½ inches
Height Overall, Deck Type	14 inches
Height Overall, Pilot House Type	24 inches
Diameter Base	5½ inches
Weight, Deck Type	8 pounds
Weight, Pilot House Type	10½ pounds

PRICE EACH

		Polished Brass	Nickel Plated	Chromium Plated
305	Deck Type	\$33.50	\$38.50	\$48.50
306	Pilot House Type	45.00	50.00	65.00




Fig. 306

"Superbeam" Searchlight



Fig. 308

Outside Diameter	8 inches
Diameter Reflector	7½ inches
Height Overall, Deck Type	12¾ inches
Height Overall, Pilot House Type	23 inches
Diameter Base	3¾ inches
Weight, Deck Type	4 pounds
Weight, Pilot House Type	7 pounds

PRICE EACH

		Polished Brass	Nickel Plated	Chromium Plated
307	Deck Type	\$20.00	\$25.00	\$30.00
308	Pilot House Type	28.00	33.00	43.00




Fig. 307

"Brightbeam" Searchlight



Fig. 309

Outside Diameter	8 inches
Diameter Reflector	7½ inches
Height Overall, Deck Type	13¾ inches
Height Overall, Pilot House Type	23 inches
Diameter Base	3¾ inches
Weight, Deck Type	5 pounds
Weight, Pilot House Type	7½ pounds

PRICE EACH

		Polished Brass	Nickel Plated	Chromium Plated
309	Deck Type	\$30.00	\$35.00	\$42.50
310	Pilot House Type	38.00	43.00	58.00



Fig. 310

SPECIFY VOLTAGE WHEN ORDERING

"Perko" "Beam" Searchlights with Remote Controls

May be mounted at practically any place on the craft and still be completely controlled from the steersmen's post, however remote this may be. The searchlight may be placed far forward so that the deck fittings will not block the beam of light. The control handle can be in any handy location. These controls are gearless, and positive in action. Push or pull the handle and the beam of light is raised or lowered, turn the handle and the searchlight turns. These controls are patented and the simplest and most reliable on the market. Furnished complete, as shown, with adjustable cast bronze support for under deck and bronze finishing plate for dashboard.

STANDARD LENGTH OF CONTROL ROD IS 48 INCHES—REMOTE CONTROLS ARE PATENTED.

Sunbeam Searchlight WITH REMOTE CONTROL

For information on searchlight, refer to Fig. 305.




Fig. 409

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$53.50	\$60.00	\$70.00

Superbeam Searchlight WITH REMOTE CONTROL

For information on searchlight, refer to Fig. 307.




Fig. 411

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$45.00	\$51.00	\$61.00

Brightbeam Searchlight WITH REMOTE CONTROL

For information on searchlight, refer to Fig. 309.




Fig. 410

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$50.00	\$56.00	\$66.00

"Perko" Pathfinder Searchlight LOW VOLTAGE—6 VOLTS

Made from heavy brass with bronze castings, silver plated reflectors, double contact sockets, projects a very strong beam, adjustable focus.




Fig. 299



Fig. 298

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
5 inch Deck Type	\$12.00	\$13.25	\$19.00
5 inch Pilot House Type	24.00	26.50	38.50
8 inch Deck Type	33.60	37.00	47.00
8 inch Pilot House Type	42.00	46.50	56.50

FOR EXTRA LONG REMOTE CONTROL ROD OVER 48 INCHES, ADD \$1.00 PER FOOT. EXTRA UNDER DECK SUPPORTS FOR ROD, AS ILLUSTRATED, \$2.00 EACH.



The New "Perko" Marine Searchlights

LOW VOLTAGE—6, 12, 32, 110 VOLTS—HIGH POWER

BODIES—are constructed of heavy wrought brass; stands, yokes, and control mechanism are all cast bronze.
REFLECTORS—a glass mirror reflector made by Bausch & Lomb Optical Co., which projects a highly concentrated beam of light a greater distance than any other projector of its class.

FOCUSING DEVICE—of patented design, containing no wires to twist or break; very easy to control.

PILOT HOUSE CONTROLS—are of the wheel or lever type, both having their distinct advantages.

WIRING—enclosed in flexible metal hose, fully protected from weather.

BULBS—for 7 inch searchlight are all double contact; 6 volt, 8 ampere; 12 volt, 100 watt; 32 volt, 3½ ampere; 110 volt, 100 watt. Bulbs for 10, 12 and 14 inch searchlights are all standard screw base; 6 volt, 108 watt; 12 volt, 216 watt; 32 volt, 256 watt; 120 volt, 250 or 400 watt.




Fig. 480




Fig. 297




Fig. 529

Size Inches	Range	Beam Candle Power	Length of Body Inches	Diameter Reflector Inches	Clearance of Glass in Door Inches	Height Overall. Cabin Control Inches	Height Overall Deck Type Inches	Net Weight Cabin Control	Diameter of Base Inches
7	up to ½ mile	275,000	11	6	5%	21	15	17½ lbs.	5¾
10	up to ¾ mile	350,000	12¾	8	7%	24	18	31 lbs.	6¾
12	up to 1 mile	590,000	14¾	10	9%	28	22	36 lbs.	6¾
14	up to 1½ mile	700,000	17	12	11%	30	24	48 lbs.	8½

PRICE EACH

Size Inches	Fig. 480			Fig. 297			Fig. 529		
	Polished Brass	Extra for Nickel Plating	Extra for Chromium Plating	Polished Brass	Extra for Nickel Plating	Extra for Chromium Plating	Polished Brass	Extra for Nickel Plating	Extra for Chromium Plating
7	\$ 57.00	\$2.50 net	\$12.50 net	\$ 65.00	\$2.50 net	\$12.50 net	\$ 70.00	\$2.50 net	\$12.50 net
10	90.00	4.00 net	15.00 net	105.00	4.00 net	15.00 net	110.00	4.00 net	15.00 net
12	115.00	5.00 net	18.00 net	135.00	5.00 net	18.00 net	140.00	5.00 net	18.00 net
14	160.00	6.00 net	22.00 net	180.00	6.00 net	22.00 net	180.00	6.00 net	22.00 net

NOTE—SPECIFY VOLTAGE AND SIZE WHEN ORDERING. FOR INFORMATION ON EXTRA BULBS—REFER TO PAGE 93.



"Perko" Streamline Searchlight

FOR RUNABOUTS AND OUTBOARD MOTOR BOATS

Body made of heavy brass, base and fittings are cast bronze, reflector is RHODIUM PLATED, same process as our "BEAM" searchlights. Convex front lens, wiring protected by flexible metal hose. Complete with switch and 6 volt, 50 candlepower bulb.



Fig. 548

Diam. Body Inches	Length Body Inches	Height Overall Inches	Size Base Inches	Weight Lbs.
4 3/4	6	7 1/2	2 1/2 x 5	2

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$12.50	\$13.50	\$16.50

"Perko" Special Searchlight

FOR RUNABOUTS AND OUTBOARD MOTOR BOATS

Glass mirror reflector, throws a powerful beam. Heavy brass body, cast bronze fittings, focusing device in handle (PATENT APPLIED FOR). Complete with switch and 6 volt, 50 candlepower bulb.



Fig. 532

Diam. Body Inches	Length Body Inches	Height Overall Inches	Diam. Base Inches	Weight Lbs.
4 3/4	7 1/2	8 3/4	3 3/8	4

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$18.00	\$20.00	\$24.00

"Perko" Electric Searchlight

FOR OUTBOARD MOTOR BOATS AND RUNABOUTS

High grade silvered reflector, 6 volt, 21 candlepower bulb, cast bronze base and support. On and off switch is contained in control handle, no wires exposed.



Fig. 108

Diam. Reflector Inches	Height Overall Inches	Diam. Base Inches	Weight Lbs.
4 3/4	7 1/4	3 3/8	1 1/2

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$5.00	\$6.00	\$10.00

"Perko" Racing Outboard Steerer

WITH REMOTE THROTTLE CONTROL AND CUTOUT

Genuine Husted hard rubber wheel with one-piece steel core. Base, drum and control fittings are of silicon aluminum (salt water resisting), strong and sturdy, but light in weight. A strong bronze friction arrangement in base prevents control from accidental turning while wheel is in operation. A spring terminal is provided for motor shut-off. Steerer is furnished complete with 10 feet of bowden wire and fittings.



Fig. 447

Diam. Wheel Inches	Diam. Base Inches	Height Overall Inches	Weight Lbs.	Price Each
16 3/4	7 3/8	6 1/2	8 1/2	\$15.00

"Perko" Outboard and Runabout Steerer

IMPROVED DASH TYPE

WITH THROTTLE CONTROL AND CUTOUT

Genuine Husted hard rubber wheel with one-piece steel core. An adjustable dash bracket which can be fitted on either side of dash board at any angle desired. Adjustable collar allows dash bracket to be placed wherever needed on steerer shaft. A supporting bracket for lower end of steerer can be attached to most suitable place in the boat. This steerer furnished of all bronze or all aluminum in either case. Furnished complete with 14 feet bowden wire and fittings.




Fig. 448

Diam. Wheel Inches	Length Overall Inches	Size Dash Bracket Inches	Diam. Drum Inches	Weight Bronze Lbs.
16 3/4	17 3/4	4 x 4 x 1 1/2	3	15

PRICE EACH

Polished Bronze	Bronze, Exposed Parts Nickel Plated	All Aluminum
\$18.00	\$18.50	\$18.00



"Perko" Skylight Binnacle

CAST BRONZE—FOR 4 OR 5 INCH COMPASS

Body is one solid casting with cast bronze fittings. All parts screwed together. Broken glasses can easily be replaced. Hexagon skylight head, with six glasses, including two marked with sighting lines for getting bearings.

RITCHIE COMPASSES are standard equipment. Other makes furnished if desired. Complete with night hood, oil or electric lamp, and compass.

Electric Lamp Oil Lamp




Fig. 530

Height Overall Inches	Diam. Base Inches	Distance Between Compass Supports Inches	Weight Less Compass Lbs.
12	9 3/4	7 1/4	14 1/2

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
With 4 inch Compass	\$74.00	\$78.00	\$96.00
With 5 inch Compass	75.00	79.00	97.00
Without Compass	50.00	54.00	72.50

With Underlighted Compass—add \$10.00 to above prices.

"Perko" Skylight Binnacle

SPUN BRASS—FOR 4 OR 5 INCH COMPASS

Same as Fig. 530 above but spun from extra heavy brass throughout. Complete with night hood, oil or electric lamp and compass.



Fig. 531

Height overall, 12 inches
 Diameter base, 9 3/4 inches
 Distance between } 7 1/4 in.
 compass supports }
 Weight, less Compass, 6 pounds

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
With 4 inch Compass	\$74.00	\$78.00	\$96.00
With 5 inch Compass	75.00	79.00	97.00
Without Compass	50.00	54.00	72.50

With Underlighted Compass—add \$10.00 to above prices.

"Perko" Skylight Binnacle

SPUN BRASS—FOR 2 1/2 OR 3 INCH COMPASS

Furnished complete with night hood, oil or electric lamp, and standard make of Compass. Spun from heavy brass. All parts screwed together—easily taken apart. Six glasses in hexagon skylight head include two sighting glasses for getting bearings.



Fig. 531

Height overall, 8 3/4 inches
 Diameter base, 7 1/4 inches
 Distance between } 5 1/4 inches
 compass supports }
 Weight, less Compass, 3 pounds

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
With 2 1/2 inch Liquid Compass	\$35.50	\$39.00	\$53.00
With 3 inch Liquid Compass	36.50	40.00	54.00
Without Compass	29.50	33.00	47.00

"Perko" Skylight Binnacle On Standard

Entirely constructed of heavy brass. Skylight type head, with six clear glasses set in hexagon shape. Two sighting lines for getting bearings. Complete with night hood, oil or electric lamp, etc. As glass supports are held together by screws, broken glasses can easily be replaced. RITCHIE compasses are furnished as standard equipment. Any other make if desired.



Fig. 533

Height Overall, 31 1/2 inches
 Diameter Base, 9 inches
 Diameter Pillar, 3 1/2 inches
 Height to Compass, 24 inches
 Distance between } 7 1/4 inches
 compass supports }

PRICE EACH

	Polished Brass	Nickel Plated	Chrom'm Plated
With 4 in. Compass	\$76.50	\$81.50	\$108.50
With 5 in. Compass	77.50	82.50	109.50
Without Compass	53.00	58.00	85.00

With underlighted Compass, add \$10.00 to above prices.

Can be furnished any height desired at slight additional cost.

"Perko" Cruiser Binnacle

WROUGHT BRASS

Spun from heavy gauge brass, white enamel finish inside. Equipped with or without liquid compass. An electric lamp for night running which illuminates the proper portion of the compass but will not disturb the helmsman's vision in any way.




Fig. 412

For Size Compass Inches	Height Overall Inches	Diam. Base Inches	Distance Between Compass Supports Inches	Weight Less Compass Lbs.
3	6½	6¾	5½	1
4	7½	9	6¾	1½
5	8¾	10	7¾	2¾

PRICE EACH—WITHOUT COMPASS

	Polished Brass	Nickel Plated	Chromium Plated
For 3 inch Compass	\$13.50	\$15.00	\$17.50
For 4 inch Compass	15.00	17.00	20.00
For 5 inch Compass	16.50	19.00	22.50

For information on compass—refer to Fig. 487.

"Perko" Square Binnacle Head

TO FIT STANDARD COMPASS BOXES

Clear glass on all four sides—double contact electric socket in top for night running, furnished with or without compass and box.

Prices do not include compass or box.



Fig. 549

Size Compass Inches	Size Box Inches	Height Overall Less Box Inches
2	4½ x 4½	5½
2½	5½ x 5½	6½
3	6½ x 6½	6½
4	7½ x 7½	8½
5	8½ x 8½	9

PRICE EACH

Size Compass Inches	Polished Brass	Nickel Plated	Chromium Plated
2	\$5.50	\$ 7.50	\$ 9.00
2½	6.00	8.00	9.50
3	6.25	8.25	10.25
4	7.25	9.25	11.25
5	8.00	10.00	12.50

For information on compass and box—refer to Fig. 487.

"Perko" Binnacle Lamp

WROUGHT BRASS

Made for use with skylight type binnacles shown on page 72. Brass body, complete with oil fount and burner.



Fig. 413

Height Inches	Diam. Inches	Size Glass Inches	Price Each
5½	2¾	1½ x 2¼	\$2.50
6½	3	2¼ x 2¾	2.50

"Perko" Square Binnacle

WROUGHT BRASS

Fitted for oil or oil and electric lighting, beveled glass in front on hinge, body painted white enamel on inside.




Fig. 386

For Size Compass Inches	Height Overall Inches	Square of Base Inches
3	8½	5¾
4	9½	7½

PRICE EACH

For Size Compass Inches	Polished Brass	Nickel Plated	Chromium Plated
3	\$18.00	\$21.00	\$30.00
4	22.00	25.00	34.00

Liquid Compasses




Fig. 487

High grade and guaranteed. Dial is marked with degrees and points and will not darken with age. Furnished with or without mahogany box and cover.

Diam. of Dial Inches	Size Box Inches	Price Each	
		Without Box	With Box
2	4½ x 4½	\$ 5.75	\$ 6.00
2½	5½ x 5½	8.75	9.00
3	6½ x 6½	10.50	11.00
4	7½ x 7½	17.50	18.00
5	8½ x 8½	24.00	25.00

"Perko" Binnacle Lamp

HALF ROUND—WROUGHT BRASS

Made of heavy brass. Complete with oil fount and burner. Hinged door and sliding latch.



Fig. 147

No.	Height Overall Inches	Height Frame Inches	Width Overall Inches	Size Glass Inches
1	7¾	5	4½	2½ x 4¾
2	8¾	5½	4¾	3 x 4¾
3	10	7	6	3¾ x 5¾

PRICE EACH

No.	Polished Brass	Nickel Plated	Chromium Plated
1	\$4.50	\$5.00	\$ 8.50
2	5.50	7.00	9.50
3	6.60	8.10	10.60

"Perko" Round Binnacle Lamp

Spun from heavy brass, removable oil or electric fount, spring catch and collar for mounting.




Fig. 148

No.	Height Overall Inches	Diam. Body Inches	Diam. Glass Inches
4	4¾	2	1¾
5	7	2¾	2¾

PRICE EACH

No.	Polished Brass	Nickel Plated	Chromium Plated
4	\$4.50	\$6.50	\$8.50
5	5.50	7.50	9.50

"Perko" Single Cabin Fixture

CAST BRONZE—STANDARD SCREW SOCKET



Fig. 450

Wired for any voltage from 6 to 120, standard socket (Edison base).
Complete with toggle switch.
Base, 2 x 2 inches
Drop (less lamp), 2 inches
Projection (less lamps), 2 5/8 inches
Weight, 3/4 pound

	PRICE EACH	Nickel Plated	Chromium Plated
With Toggle Switch	\$2.50	\$3.00	\$3.75
Without Switch	2.25	2.75	4.00

With Toggle Switch
Without Switch

"Perko" Double Ceiling Fixture

CAST BRONZE—STANDARD SCREW SOCKETS



Fig. 451

Base, 2 x 3 1/2 inches
Extends from wall } 2 5/8 in.
Weight, 1 pound

	PRICE EACH	Nickel Plated	Chromium Plated
With Toggle Switch	\$5.50	\$6.25	\$8.25
Without Switch	4.50	5.25	7.25

With Toggle Switch
Without Switch

"Perko" Double Cabin Fixture

CAST BRONZE—STANDARD SCREW SOCKETS




Fig. 452

Size base, 2 x 4 1/2 inches
Width (less lamps), 5 1/8 in.
Drop (less lamps), 2 inches
Extends from wall 2 1/2 in.
Weight, 1 1/2 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
With Toggle Switch	\$8.00	\$8.75	\$12.00
Without Switch	7.00	7.75	11.00

With Toggle Switch
Without Switch

"Perko" Cabin Fixture with Shade

CAST BRONZE—STANDARD SCREW SOCKET



Fig. 453

Holophane glass shade held fast by thumb screws and pull chain for lighting.

Size base, 2 x 2 inches
Height overall, 6 inches
Extends from wall 4 1/8 inches
Weight, 2 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
Polished Bronze	\$6.00	\$6.75	\$8.75

Can be furnished with toggle switch if desired.

"Perko" Single Yacht Fixture

CAST BRONZE—STANDARD SCREW SOCKET



Fig. 455

Any voltage 6 to 120, wired ready for use. All parts threaded. With pull chain for lighting.

Base, 2 3/4 x 2 3/4 inches
Drop (less lamp), 5 1/4 inches
Extends from wall 3 5/8 inches
Weight, 2 1/2 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
Polished Bronze	\$6.00	\$6.75	\$9.00

"Perko" Ceiling or Corner Fixture

CAST BRONZE—STANDARD SCREW SOCKET



Fig. 456

Base, 2 3/4 x 2 3/4 inches
Drop (less lamp), 4 1/8 inches
Weight, 1 1/8 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
Polished Bronze	\$5.50	\$6.25	\$9.00

"Perko" Double Yacht Fixture

CAST BRONZE—STANDARD SCREW SOCKETS




Fig. 457

Width overall, 6 1/4 inches
Base, 2 3/4 x 2 3/4 inches
Drop (less lamps), 5 1/4 inches
Extends from wall 3 5/8 inches
Weight, 3 3/8 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
Polished Bronze	\$10.00	\$13.00	\$17.00

"Perko" Berth or Pullman Light

CAST BRONZE—DOUBLE CONTACT SOCKET




Fig. 416

Can also be furnished with standard screw socket. Any voltage 6 to 120. White opal glass. Complete with switch.

Length, 6 inches
Width overall, 4 inches
Weight, 2 pounds

	PRICE EACH	Nickel Plated	Chromium Plated
Polished Bronze	\$8.50	\$9.50	\$14.00

PRICES ON THIS PAGE DO NOT INCLUDE BULBS. WHEN ORDERING BULBS, SPECIFY VOLTAGE AND CANDLEPOWER, FROSTED OR CLEAR.

"Perko" Cabin Fixture

PUSH BUTTON SWITCH
STANDARD SCREW SOCKET
CAST BRONZE

Wired ready for use for any voltage from 6 to 120.

Size base, 2 1/4 x 2 1/2 inches
Drop (less lamp), 2 1/2 inches
Extends from wall 2 1/2 inches
Weight, 8 ounces




Fig. 516

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$2.50	\$3.00	\$4.25

"Perko" Double Ceiling Fixture

PUSH BUTTON SWITCHES
STANDARD SCREW SOCKETS

Wired for any voltage from 6 to 120.

Base, 2 x 4 1/4 inches
Drop, 2 1/2 inches
Weight, 1 pound




Fig. 517

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$6.00	\$7.00	\$10.00

"Perko" Cabin Fixture

CAST BRONZE—DOUBLE CONTACT SOCKET
TOGGLE SWITCH—WIRED

Size of base, 1 1/4 x 1 1/4 inches
Drop (less lamp), 2 inches
Projection (less lamp), 2 inches
Net weight, 6 ounces



Fig. 605

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
With Switch	\$2.50	\$3.00	\$3.75
Without Switch	2.25	2.75	3.50

"Perko" Cabin Fixture

CAST BRONZE—DOUBLE CONTACT SOCKET
TOGGLE SWITCH—OUTLET FOR WIRE IN TOP OR BACK

Size of base, 2 x 2 1/2 inches
Drop (less lamp), 3 1/2 inches
Projection (less lamp), 2 inches
Weight, 10 1/2 ounces



Fig. 592

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
With Switch	\$2.50	\$3.00	\$4.00
Without Switch	2.25	2.75	3.75

"Perko" Holophane Cabin Fixture

WROUGHT BRASS—DOUBLE CONTACT SOCKET

For any voltage from 6 to 120.
Complete with holophane glass globe.
Pull chain or throw switch.



Fig. 81

Diameter base, 2 1/4 inches
Drop, 4 3/8 inches
Extends from wall 4 3/8 inches
Diameter globe, 3 inches
Weight, 8 ounces

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
With Pull Chain	\$5.00	\$5.50	\$8.00
With Throw Switch	3.50	3.50	5.60

"Perko" Holophane Cabin Fixture

WROUGHT BRASS—DOUBLE CONTACT SOCKET

For any voltage from 6 to 120.
Complete with holophane glass shade, pull chain or throw switch.



Fig. 83

Diameter base, 2 1/4 inches
Drop, 4 3/8 inches
Extends from wall 4 3/8 inches
Weight, 8 ounces

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
With Pull Chain	\$4.50	\$5.00	\$7.20
With Throw Switch	3.00	3.00	5.00

"Perko" Holophane Ceiling Fixture

WROUGHT BRASS—DOUBLE CONTACT SOCKET

For any voltage from 6 to 120.
Complete with holophane glass shade, pull chain or throw switch.



Fig. 82

Diameter base, 2 1/4 inches
Drop, 4 inches
Weight, 7 ounces

PRICE EACH

	Polished Brass	Nickel Plated	Chromium Plated
With Pull Chain	\$4.50	\$4.50	\$7.20
With Throw Switch	3.00	3.00	5.00

"Perko" Holophane Cabin Fixtures

CAST BRONZE—DOUBLE CONTACT SOCKET

FIXTURE WITH OPEN SHADE

Complete with toggle switch. Wired for voltage from 6 to 120.

Base, 1 1/4 x 1 1/4 inches
Drop, 3 1/2 inches
Extends from wall 4 1/4 inches
Weight, 9 ounces



Fig. 553

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
	\$4.00	\$5.00	\$6.50

FIXTURE WITH GLOBE

Base, 1 1/4 x 1 1/4 inches
Drop, 4 1/2 inches
Extends from wall 3 1/2 inches
Weight, 10 ounces



Fig. 554

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
	\$4.50	\$5.50	\$7.00

PRICES ON THIS PAGE DO NOT INCLUDE BULBS. WHEN ORDERING BULBS SPECIFY VOLTAGE AND CANDLEPOWER, FROSTED OR CLEAR.



"Perko" Marine Fixtures

Same design as the old type whale oil lamp, reduced in size to make a very unusual style of electric fixture. Wrought brass body, cast bronze brackets, wired ready for installation, any voltage from 6 to 120.



Height, less lamp, inches, 3½
Extends from wall, inches, 3½
Weight, ounces, 11

PRICE EACH

No.		Polished Brass	Nickel Plated
1	Standard screw socket	\$5.00	\$5.50
2	Double contact socket	5.75	6.75
3	Candelabra socket	5.75	6.75

Fig. 458



Height, less lamp, inches, 3¼
Extends from wall, inches, 3½
Weight, ounces, 11

PRICE EACH

No.		Polished Brass	Nickel Plated
4	Standard screw socket	\$5.00	\$5.50
5	Double contact socket	5.75	6.75
6	Candelabra socket	5.75	6.75

Furnished with pull chain or toggle switch, as desired.

"Perko" Miniature Cabin Fixtures

These are made as small as practicable for boats where cabin space is limited. All have pull chain Edison D. C. or candelabra sockets.

CAST BRONZE WALL PLATE WITH BRASS SHELL



Diameter wall plate 2 inches
Drop, less bulb 3¼ inches
Projection 1½ inches
Weight 6 ounces

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
	\$5.50	\$6.00	\$7.50

Fig. 415

CAST BRONZE BODY AND WALL PLATE



Height, less bulb 3 inches
Width overall 1¾ inches
Projection, less bulb 2 inches
Weight 8 ounces

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
	\$6.00	\$6.75	\$8.00

Fig. 414

BRASS SHELL, CAST BRONZE FITTINGS



Diameter wall plate 2 inches
Height overall, less bulb 4¾ inches
Projection 2¾ inches
Weight 8 ounces

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated
	\$6.00	\$6.75	\$8.00

Fig. 417

"Perko" Dome Lights

CAST BRONZE AND NICKEL SILVER

With improved toggle switch and nickel plated reflector. Globe held in place by threaded collar and protected from breakage by two rubber gaskets.

Nos. 1, 3 and 5 fitted with double contact socket.
Nos. 2, 4 and 6 fitted with standard screw socket.

WITH DEEP HOLOPHANE GLOBE



Fig. 454

No.	Diam. Base Inches	Depth Inches	Diam. Globe Inches	Weight Lbs.
1	5	3	4	2½
2	8	4¼	6	4½

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$ 7.00	\$ 8.00	\$10.50	\$ 8.00
2	12.00	13.00	18.00	13.00

WITH SHALLOW HOLOPHANE GLOBE



Fig. 555

No.	Diam. Base Inches	Depth Inches	Diam. Globe Inches	Weight Lbs.
3	5	1¾	4	2¼
4	8	2¾	6	4¼

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
3	\$ 7.00	\$ 8.00	\$10.50	\$ 8.00
4	12.00	13.00	18.00	13.00

WITH SHALLOW FROSTED GLOBE



Fig. 460

No.	Diam. Base Inches	Depth Inches	Diam. Globe Inches	Weight Lbs.
5	5	1¾	4	2
6	8	2¾	6	4

PRICE EACH

No.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
5	\$ 7.00	\$ 8.00	\$10.50	\$ 8.00
6	12.00	13.00	18.00	13.00

ALL OF THE ABOVE DOME LIGHTS CAN BE FURNISHED WITHOUT SWITCH. DEDUCT \$1.00 FROM ABOVE PRICES.



"Perko" Holophane Dome Lights

WROUGHT BRASS—IMPROVED—DOUBLE CONTACT SOCKETS

These are made of the highest grade of rich low brass obtainable, which is guaranteed not to crack due to weather conditions or changes. Reflectors are heavily nickel plated, furnished with holophane glass globes and improved throw or toggle switches, all wired ready for installation.

WITH THROW SWITCH



Fig. 387

Trade Size Inches	Diam. Glass Inches	Diam. Base Inches	Depth Overall Inches
3	2 $\frac{3}{4}$	4 $\frac{5}{8}$	1 $\frac{1}{8}$
4	3 $\frac{3}{4}$	5 $\frac{3}{4}$	1 $\frac{1}{4}$
5	4 $\frac{3}{4}$	6 $\frac{1}{2}$	2 $\frac{1}{4}$
6	5 $\frac{3}{4}$	8	2 $\frac{3}{4}$

WITH TOGGLE SWITCH



Fig. 294

PRICE EACH

Trade Size Inches	Polished Brass	Nickel Plated	Chromium Plated
3	\$2.00	\$2.20	\$3.50
4	2.50	2.75	4.00
5	3.00	3.25	4.50
6	5.00	5.25	7.00

PRICE EACH

Trade Size Inches	Polished Brass	Nickel Plated	Chromium Plated
3	\$2.60	\$2.80	\$4.10
4	3.10	3.35	4.60
5	3.60	3.85	5.10
6	5.60	5.85	7.60

"Perko" Frosted Dome Lights

WROUGHT BRASS—IMPROVED—DOUBLE CONTACT SOCKETS

Same high grade construction and material as those illustrated above, with the exception of the globe which is sand blasted (frosted). Furnished with improved throw or toggle switch, all wired ready for installation.

WITH THROW SWITCH




Fig. 295

Trade Size Inches	Diam. Glass Inches	Diam. Base Inches	Depth Overall Inches
3	2 $\frac{3}{4}$	4 $\frac{5}{8}$	1 $\frac{1}{8}$
4	3 $\frac{3}{4}$	5 $\frac{3}{4}$	1 $\frac{1}{4}$
5	4 $\frac{3}{4}$	6 $\frac{1}{2}$	1 $\frac{3}{4}$
6	5 $\frac{3}{4}$	8	2 $\frac{1}{4}$

WITH TOGGLE SWITCH



Fig. 296

PRICE EACH

Trade Size Inches	Polished Brass	Nickel Plated	Chromium Plated
3	\$2.00	\$2.20	\$3.50
4	2.50	2.75	4.00
5	3.00	3.25	4.50
6	5.00	5.25	7.00

PRICE EACH

Trade Size Inches	Polished Brass	Nickel Plated	Chromium Plated
3	\$2.60	\$2.80	\$4.10
4	3.10	3.35	4.60
5	3.60	3.85	5.10
6	5.60	5.85	7.60

"Perko" Sun Ray Dome Light

WROUGHT BRASS

Made of high grade rich low brass guaranteed not to crack due to weather conditions. A ribbed white opal globe designed to illuminate a very large portion of the room or cabin. Nickel plated reflector, improved toggle switch, all wired ready for installation.

No.	Diam. Base Inches	Diam. Globe Inches	Depth Inches	Weight Lbs.
7	6	4 $\frac{1}{4}$	2 $\frac{1}{4}$	$\frac{7}{8}$
8	7	5 $\frac{1}{2}$	2 $\frac{3}{4}$	1 $\frac{1}{4}$
9	7	5 $\frac{1}{2}$	2 $\frac{3}{4}$	1 $\frac{1}{2}$



Fig. 385

PRICE EACH

No.	With Double Contact Socket		
	Polished Brass	Nickel Plated	Chromium Plated
7	\$3.25	\$3.50	\$4.75
8	4.25	4.50	5.75

With Standard Screw Socket

No.	Polished Brass	Nickel Plated	Chromium Plated
9	\$4.50	\$4.75	\$6.00

Nos. 7 and 8 can be furnished with throw switch, as Fig. 387. Deduct \$.25 each from prices.

ALL OF THE ABOVE DOME LIGHTS HAVE FLAT BACKS WHICH FIT FLUSH WITH CEILING TRIM. IT IS NOT NECESSARY TO MAKE RECESS WHEN INSTALLING.



"Perko" Combination Lights
STREAMLINE

WITH OUR FAMOUS REBULBING FEATURE
FOR OUTBOARD MOTOR BOATS

(Patent Applied For)

Made of cast bronze and cast nickel silver, red and green fresnel lenses, double contact electric socket.

It is not necessary to remove lamp from deck to change the bulb. Our rebulbing feature, as illustrated, makes it easy, as a few turns of a coin or screw driver inserted in slot removes plug to which electric socket is attached. Socket is set in swivel holder, wires will not twist while unscrewing. Plug is flush with back of lamp when closed.




Fig. 512

Height Inches	Base Inches	Lens Inches	Flagpole Socket Inch	Weight Lbs.
3 1/8	3 3/8 x 5 3/8	2 1/2 x 3	5/8	1 1/4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$6.00	\$7.00	\$9.00	\$6.50	\$5.50



Rear view showing method of changing bulb

"Perko" Combination Lights
STREAMLINE

WITH SOLID BACK—WITHOUT REBULBING FEATURE
FOR OUTBOARD MOTOR BOATS

Same size as Fig. 512, except that bulb is changed by removing the lamp from the deck.




Fig. 536

Height Inches	Base Inches	Lens Inches	Flagpole Socket Inch	Weight Lbs.
3 1/8	3 3/8 x 5 3/8	2 1/2 x 3	5/8	1 1/4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$5.00	\$6.00	\$8.00	\$5.50	\$5.00

"Perko" Combination Lights
STREAMLINE

WITH REBULBING FEATURE
FOR SMALL RUNABOUTS—16 TO 20 FEET LONG

Cast bronze and cast nickel silver. Contains our famous rebulbing feature, as illustrated on Fig. 512. Double contact electric socket.



Fig. 598

Height Inches	Base Inches	Lens Inches	Flagpole Socket Inch	Weight Lbs.
3 3/8	4 7/8 x 8	2 1/2 x 3	1	2 1/2

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$10.00	\$12.00	\$11.50	\$18.00



Rear view showing method of changing bulb

"Perko" Combination Lights
STREAMLINE

WITH CLEAT AND REBULBING FEATURE
FOR OUTBOARD MOTOR BOATS

Same as Fig. 512, except for cleat on back to which electric socket is attached. Can be used as a bitt, as rope cannot slip over top of lamp.



Fig. 535

Height Inches	Base Inches	Lens Inches	Flagpole Socket Inches	Length Cleat Inches	Wt. Lbs.
3 1/8	3 3/8 x 5 3/8	2 1/2 x 3	5/8	2 1/8	2

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver	Polished Aluminum
\$6.00	\$7.00	\$9.00	\$6.50	\$5.50



Rear view showing method of changing bulb

"Perko" Combination Lights
STREAMLINE

SOLID BACK—WITHOUT REBULBING FEATURE
Same style and size as Fig. 598, except that bulb is changed by removing lamp from the deck.



Fig. 606

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$9.00	\$11.00	\$17.00	\$10.50

"Perko" Combination Lights

FOR OUTBOARD MOTOR BOATS
WROUGHT BRASS—ELECTRIC

A small, neat, and practical marine light especially designed for outboard motor boats. Guaranteed to pass inspection. Complete with red and green fresnel lenses and double contact electric socket.



Fig. 485

Height Overall Inches	Diam. Body Inches	Diam. Base Inches	Size Lens Inches	Weight Lbs.
4 1/2	2 1/2	2	2 1/2 x 3	1

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$3.75	\$4.00	\$6.00

"Perko" Combination Lights

FOR OUTBOARD MOTOR BOATS
WITH DECK BRACKET FOR DEMOUNTING

Quickly removed from deck without necessity of removing screws from deck. Complete with red and green fresnel lenses and double contact electric socket.




Fig. 486

Height Inches	Diam. Inches	Lens Inches	Weight Lbs.
4	2 1/2	2 1/2 x 3	1

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$3.75	\$4.00	\$6.00

"Perko" Combination Lights

FOR OUTBOARD MOTOR BOATS
WITH FLAGPOLE SOCKET—CAST BRONZE

Base is a solid casting and can be used for towing or tying up. Complete with red and green fresnel lenses and double contact electric socket.



Fig. 489

Height Inches	Diam. Body Inches	Diam. Base Inches	Lens Inches	Flagpole Socket Inches	Weight Lbs.
5	2 3/4	2	2 1/2 x 3	1/2	2

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$4.50	\$5.50	\$7.00

"Perko" Combination Light and Bitt

CAST BRONZE AND NICKEL SILVER

Body cast in one piece with threaded top for changing bulbs or lenses. Made in two sizes—No. 1 for outboard motor boats, No. 2 for runabouts 15 to 20 feet long.



Closed



Fig. 384

Open for Rebulbing

Nos.	Height Inches	Diam. Base Inches	Size Lens Inches	Flagpole Socket Inches	Weight Each Lbs.
1	3 3/8	4	2 1/2 x 3	5/8	2
2	5	5 1/4	3 3/8 x 3 3/8	1 1/4	3 1/2

PRICE EACH

Nos.	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
1	\$6.00	\$7.00	\$10.00	\$7.50
2	8.00	9.00	12.00	9.50

"Perko" Combination Lights

FLAT BACK—CAST BRONZE

Complete with red and green fresnel lenses and double contact electric socket.



Fig. 597

Height Inches	Width Inches	Base Inches	Lens Inches	Weight Lbs.
4	4 1/2	3 x 4 1/4	3 3/8 x 3 3/8	2 1/4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$8.00	\$10.00	\$15.00

"Perko" Combination Lights

FLAT BACK—WROUGHT BRASS

Made of heavy brass, double contact electric socket on removable base in bottom. Bracket on back. Red and green fresnel lenses, removable color shield.



Fig. 89

Height Inches	Width Inches	Base Inches	Lens Inches	Weight Lbs.
3 3/8	4 1/4	3 x 4 1/4	3 3/8 x 3 3/8	1 1/4

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$4.50	\$6.00	\$8.00



"Perko" Combination Lights

STREAMLINE

CAST BRONZE AND NICKEL SILVER

FOR CLASS 1 BOATS—18 TO 25 FEET LONG

This light is designed especially for runabouts 18 to 25 feet long. Contains the Perko rebulbing feature, illustrated below. A few turns of a coin or screw driver in slot brings out socket allowing instant removal of bulb. IT IS NOT NECESSARY TO TAKE LIGHT OFF DECK TO CHANGE BULB.

Equipped with red and green fresnel lenses and double contact electric socket. Socket in top of light for flagpole, 1 or 1 1/4 inches diameter.



Fig. 559

Height Inches	Base Inches	Lens Inches	Weight Lbs.
4 3/4	8 3/4 x 5 1/2	3 3/8 x 3 3/8	4 3/4

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$13.00	\$15.00	\$14.20	\$19.75

"Perko" Combination Lights

STREAMLINE—WITH SIDE VENTILATORS

FOR CLASS 1 BOATS—18 TO 25 FEET LONG

Same general construction as above, except that this light has openings on both sides for furnishing ventilation to engine compartment when same is under forward deck. Contains our rebulbing feature, illustrated below, red and green fresnel lenses, double contact electric socket, flagpole socket in top of light, 1 or 1 1/4 inches diameter.




Fig. 560

Height Inches	Base Inches	Lens Inches	Weight Lbs.
4 1/4	9 7/8 x 5 3/4	3 3/8 x 3 3/8	4

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$14.00	\$16.00	\$15.40	\$21.00

"Perko" Streamline Bow Lights

CAST BRONZE AND NICKEL SILVER
CLASSES 1, 2 OR 3

Furnished with "Perko" rebulbing feature, illustrated on bottom of page. Clear fresnel lens, double contact electric socket, flagpole socket in top of light.




Fig. 561

	Height Inches	Base Inches	Lens Inches	Weight Lbs.	Flagpole Socket Inches
Class 1	4 3/8	5 x 8 1/2	3 1/2 x 3 1/2	4	3/4
Class 2	5	9 7/8 x 5 3/4	4 1/4 x 6 1/2	4 3/4	1 or 1 1/4
Class 3	6 3/8	6 3/8 x 13	5 1/4 x 7 3/4	8 3/4	1 or 1 1/4

PRICE EACH

	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
Class 1	\$12.00	\$14.00	\$13.50	\$18.00
Class 2	16.00	18.00	17.60	24.00
Class 3	22.00	24.00	24.20	30.00

"Perko" Streamline Bow Light

WITH SIDE VENTILATORS—CLASS 2

Same general construction as above, except with openings on both sides for ventilation to engine compartment on runabouts when same is under forward deck. Contains our patented rebulbing feature, clear fresnel lens, double contact electric socket, and flagpole socket.




Fig. 562

Height Inches	Base Inches	Lens Inches	Weight Lbs.	Flagpole Socket Inches
5	9 7/8 x 6 3/4	4 1/4 x 6 1/2	5 1/4	1 or 1 1/4

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$16.00	\$18.00	\$17.60	\$24.00

"Perko" Rebulbing Feature

PATENT APPLIED FOR

Illustrating method of changing bulb. Socket swivels on cap, wire will not twist while turning. Cap is flush with body of light when closed.



IT IS NOT NECESSARY TO TAKE LIGHT OFF DECK TO CHANGE BULB IN "PERKO" STREAMLINE RUNNING LIGHTS.

“Perko” Streamline Side Lights

CAST BRONZE AND NICKEL SILVER
CLASSES 1, 2 OR 3

With the “Perko” rebulbing feature that makes it unnecessary to remove the light from the boat to change a bulb. This feature is illustrated on preceding page. These side lights are furnished in pairs for port and starboard. One red and one green fresnel lens and double contact electric socket.




Fig. 563

	Height Inches	Length Inches	Size Lens Inches	Weight Per Pair Lbs.
Class 1	4 ¹ / ₈	6	3 ³ / ₄ x 3 ³ / ₄	3
Class 2	5 ¹ / ₈	7 ¹ / ₂	4 ¹ / ₄ x 4 ¹ / ₄	5
Class 3	6	9 ¹ / ₄	5 ¹ / ₄ x 5 ¹ / ₄	7

PRICE PER PAIR

	Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
Class 1	\$ 8.00	\$10.00	\$ 8.80	\$12.00
Class 2	11.00	13.00	12.00	16.50
Class 3	20.00	22.00	22.00	28.00

“Perko” Combination Post Light and Riding Bitt

CAST BRONZE AND CAST NICKEL SILVER
FOR CLASS 1 BOATS—18 TO 25 FEET LONG

Body cast in one solid piece with threaded top for changing bulb or lens. Large thread allows easy removal and replacing of top. Lens fastened by cast wedge, which insures a good water-tight fit. Flagpole socket in top, red and green fresnel lenses and double contact electric socket.



Fig. 502
Closed

Height Inches	Diam. Base Inches	Size Lens Inches	Flagpole Socket Inches	Weight Lbs.
4 ³ / ₈	6 ¹ / ₂	3 ³ / ₈ x 3 ³ / ₈	1 or 1 ¹ / ₄	5 ¹ / ₂

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$12.00	\$14.00	\$18.50	\$13.20

Furnished with standard screw electric sockets at above prices if desired.



Open for Rebulbing

“Perko” Bow Post Light and Riding Bitt

CAST BRONZE AND CAST NICKEL SILVER
FOR CLASS 2 BOATS—26 TO 39 FEET LONG

Same general construction as Fig. 502 above. Serves purpose as a bow light and good substantial riding bitt combined, as body and base are one heavy casting with heavy guards which protect lens from breakage. Equipped with clear fresnel lens and double contact electric socket.




Fig. 503
Closed

Height Inches	Diam. Base Inches	Size Lens Inches	Flagpole Socket Inches	Weight Lbs.
6 ¹ / ₂	7 ¹ / ₄	4 ¹ / ₄ x 6 ¹ / ₂	1 ¹ / ₄	8

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$12.50	\$14.50	\$19.00	\$13.75

Furnished with standard screw electric sockets at above prices if desired.



Open for Rebulbing



"Perko" De-Lite Cast Side Lights

CAST BRONZE AND CAST NICKEL SILVER
ELECTRIC ONLY

WITH FRONT DOORS, allowing quick accessibility to interior of lamp for changing bulbs or lenses. Lens is fastened in door by brass strips and machine screws and is very easily replaced. Door is of heavy wrought brass stamped in one piece and hinged to body. Nickel plated brass reflector, double contact electric socket. Furnished in pairs, one green and one red fresnel lens. Positive latch will keep door tightly closed when necessary. PATENTED AND OTHER PATENTS PENDING.




Closed
Fig. 504

	Height Inches	Angle Inches	Lens Inches	Weight Per Pair Lbs.
Class 2	5½	3¾ x 3¾	4¼ x 4¾	6½
Class 3	6	4 x 4	5¼ x 5¾	8

PRICE PER PAIR

	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
Class 2	\$10.00	\$12.00	\$17.00	\$11.00
Class 3	13.35	15.35	22.00	14.65

Furnished with standard screw electric sockets if desired at above prices.



Open
Fig. 504

"Perko" De-Lite Cast Bow Lights

CAST BRONZE AND CAST NICKEL SILVER
ELECTRIC ONLY

Same construction as Fig. 504 above, with the PERKO PATENTED FRONT DOOR. Complete with clear fresnel lens and double contact electric socket. PATENTED AND OTHER PATENTS PENDING.




Closed
Fig. 505

	Height Inches	Width Inches	Lens Inches	Weight Lbs.
Class 2	5½	5½	4¼ x 6½	3¼
Class 3	6½	6	5¼ x 7¾	4¼

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
Class 2	\$5.00	\$6.00	\$ 8.50	\$5.50
Class 3	6.65	7.65	11.00	7.35

Furnished with standard screw electric sockets if desired at above prices.



Open
Fig. 505

"Perko" Old Style Cast Side Lights

CAST BRONZE AND NICKEL SILVER

To change bulb, unscrew the plates around the lens and remove lens.

To avoid this trouble, use the "PERKO" DE-LITE STYLE with the front doors. Costs no more.



Fig. 373

CLASS 2
Height, 5¼ inches
Lens, 4¼ x 4¾ inches
Angle, 3¾ x 3¾ inches
Weight, per pair, 6 pounds

CLASS 3
Height, 6¾ inches
Lens, 5¼ x 5¾ inches
Angle, 4 x 4 inches
Weight, per pair, 7½ pounds

PRICE PER PAIR

	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
Class 2	\$10.00	\$12.00	\$17.00	\$11.00
Class 3	13.35	15.35	22.00	14.65

"Perko" Old Style Cast Bow Lights

CAST BRONZE AND NICKEL SILVER

These old style cast lights are illustrated to show difference between these and the improved lights shown above, however, the old style can be furnished if desired.

CLASS 2
Height, 5¾ inches
Lens, 4¼ x 6½ inches
Width, 5½ inches
Weight, each, 3¼ pounds

CLASS 3
Height, 6¾ inches
Lens, 5¼ x 7¾ inches
Width, 6 inches
Weight, each, 4 pounds

PRICE EACH

	Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
Class 2	\$5.00	\$6.00	\$ 8.50	\$5.50
Class 3	6.65	7.65	11.00	7.35



Fig. 374

"Perko" Watertight Side Lights

ELECTRIC ONLY

Designed for and used by the U. S. C. G. Patrol Boats All cast bronze and absolutely watertight. Brass bolts in bottom for mounting. Our patented rebulbing feature in back, as illustrated below. Watertight stuffing gland in bottom for electric cable.

CLASS 2 SIDE LIGHTS





Fig. 192

Height Lamp Inches	Height Overall Inches	Size Lens Inches	Weight Per Pair Lbs.
5	7½	4¼ x 4¼	6

PRICE PER PAIR

Polished Bronze	Nickel Plated	Chromium Plated
\$16.00	\$18.00	\$24.00



Showing Method of Changing Bulb

"Perko" Cast Stern Light

CAST BRONZE AND NICKEL SILVER

Equipped with 360 degree fresnel lens and double contact electric socket. Any height desired can be secured by placing required length of 1 inch brass pipe at joint marked A. These parts have standard 1 inch pipe thread.



Fig. 375

Height Inches	Diam. Base Inches	Diam. Body Inches	Size Lens Inches	Weight Lbs.
7	3½	3½	3¾ x 3¾	2¾

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$8.00	\$9.00	\$12.50	\$9.00

"Perko" Mast Light

CAST BRONZE AND NICKEL SILVER

Equipped with 360 degree clear fresnel lens and double contact electric socket. Extra long neck.



Fig. 521

Height Inches	Diam. Body Inches	Size Lens Inches	Inside Diam. Neck Inches	Weight Lbs.
6¾	3½	3¾ x 3¾	1¼ or 1½	2

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$7.50	\$8.50	\$11.50	\$8.50

With red, green or blue lens add \$1.50 to above prices. Furnished with standard screw socket at above prices if desired.

"Perko" Watertight Bow Lights



Fig. 193

Rebulbing feature on back as illustrated above.

Height of lamp, 5 inches
Height overall, 7½ inches
Size of lens, 4¼ x 6½ inches
Width overall, 5 inches
Weight each, 3¼ pounds

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated
\$8.00	\$9.00	\$12.00

"Perko" Mast or Stern Light

Made of heavy brass tubing with cast bronze base, 2½ or 3 inch fresnel ball globe, threaded base, double contact electric socket. (Patented.)



Fig. 422

Height Overall Inches	Diam. Base Inches	Diam. Globe Inches	Weight Oz.
7	2¾	2½ or 3	12

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$3.50	\$4.00	\$5.50

Can be had in any height from 4 inches up. 2½ inch globes furnished unless 3 inch are requested.

"Perko" Mast or Stern Light

CAST BRONZE AND NICKEL SILVER

All cast bronze with 2½ or 3 inch fresnel ball globe, threaded base, double contact electric socket. Patented



Fig. 506

Height Overall Inches	Diam. Base Inches	Diam. Globe Inches	Weight Oz.
6½	1¾	2½ or 3	18

PRICE EACH

Polished Bronze	Nickel Plated	Nickel Silver	Chromium Plated
\$4.50	\$4.75	\$5.00	\$7.20

2½ inch globes furnished unless 3 inch are requested.



"Perko" Pole Light Assembly

COMPLETE WITH STREAMLINE FLAG POLE SOCKET AND ELECTRIC CONNECTIONS IN POLE AND SOCKET

Same hook-up as Fig. 590, equipped with streamline flag pole socket, 1 1/4 inch diameter.




Fig. 481

PRICE EACH			
Length Overall Inches	Pol. Brass	Nickel Plated	Chromium Plated
20	\$ 9.50	\$10.50	\$12.30
24	9.75	10.75	12.55
30	10.00	11.00	12.80
36	10.25	11.25	13.05
42	10.35	11.35	13.15
48	10.50	11.50	13.30
60	10.75	11.75	13.55
72	11.00	12.00	13.80

Can be furnished with cast bronze top, Fig. 498. Add \$1.00 to above prices. 2 1/2 inch globes furnished unless 3 inch is specified.

"Perko" Flag Pole Lights

ELECTRIC ONLY—MAHOGANY POLE FOR OUTBOARD MOTOR BOATS AND SMALL RUNABOUTS

An extra small size fresnel globe, 1 3/8 inch diameter, just large enough to admit a 3 c. p. electric bulb. Fitted on our high grade solid mahogany flag pole, which is drilled through center for wires.



Fig. 602

Length Overall Inches	Diam. Base Inches	Weight Oz.
24	3/4	8
30	3/4	9

PRICE EACH

Height Inches	Polished Brass	Nickel Plated	Chromium Plated	Nickel Silver
24	\$4.00	\$4.50	\$5.50	\$4.50
30	4.25	4.75	6.00	4.75

For information on light fixture only, refer to Fig. 600.

"Perko" Flag Pole Lights

ELECTRIC ONLY—HOLLOW BRASS POLE

With 1 3/8 inch fresnel globe, hollow brass pole, wiring concealed inside pole, and cast bronze flag pole socket complete ready for installation.



Fig. 603

Length Overall Inches	Outside Diam. Pole Inches	Weight Oz.
24	7/8	12
30	7/8	16

PRICE EACH

Length Inches	Polished Brass	Nickel Plated	Chromium Plated
24	\$4.00	\$4.50	\$5.50
30	4.25	4.75	6.25

"Perko" Flag Pole Light

WITH 2 1/2 INCH GLOBE—HOLLOW BRASS POLE FOR OUTBOARD MOTOR BOATS AND RUNABOUTS

Complete with cast bronze flag pole socket, wired ready for use, wires concealed in pole.



Fig. 538

Length Overall Inches	Outside Diam. Pole Inches	Weight Lbs.
24	1 1/8	1 1/4
30	1 1/8	1 1/2

PRICE EACH

Length Inches	Polished Brass	Nickel Plated	Chromium Plated
24	\$4.25	\$4.75	\$6.50
30	4.75	5.25	7.00

"Perko" Outboard Pole Light

TRANSOM BRACKET—ALL BRASS POLE

Designed for outboard motor boats where space in stern is limited. Complete with cast bronze bracket for mounting on outboard side of stern transom. Pole is easily demounted by removing nut.




Fig. 488

Length Overall Inches	Outside Diam. Globe Inches	Diam. Pole Inches	Weight Lbs.
30	2 1/2	1 1/2	2 1/2

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$5.50	\$6.50	\$8.75

"Perko" Mahogany Flag Poles

Turned from solid seasoned mahogany. Natural finish—varnished.



Fig. 496

Length Overall Inches	Diam. Base Inches	Weight Oz.	Price Each
18	5/8—1—1 1/4	2 1/2	\$1.20
20		3	1.40
24		3 1/2	1.60
30	1—1 1/4	4	2.20
36		4 3/4	2.60
42		5 1/4	2.80
48		6	3.00


With brass or nickel plated ferrule—add \$.25 to above prices.

PLEASE SPECIFY DIAMETER OF BASE WHEN ORDERING.

"Perko" Flag Pole Lights

ELECTRIC ONLY—SOLID MAHOGANY POLE

This pole is turned from one solid piece of mahogany and drilled through center for electric wire. Natural finish, varnished, equipped with pole light. Fig. 491, 2½ or 3 inch globe, double contact electric socket. All wired ready for use. Double contact connection plug on end of wire. Threaded base of globe allows easy change of bulb. Brass ferrule on base of pole to prevent splitting or swelling:



Patented

Length Overall Inches	Diameter Base Inches	Weight Lbs.
20	1 or 1¼	1
24	1 or 1¼	1¼
30	1 or 1¼	1¼
36	1 or 1¼	1½
42	1 or 1¼	1¾
48	1¼	2
60	1¼	2½
72	1¼	2¾

PRICE EACH

Length Overall Inches	Polished Brass	Nickel Plated	Chromium Plated
20	\$6.00	\$6.25	\$7.25
24	6.25	6.50	7.50
30	6.35	6.60	7.60
36	6.50	6.75	7.75
42	6.60	6.85	7.85
48	6.75	7.00	8.00
60	7.00	7.25	8.25
72	7.50	7.75	8.75

Fig. 492

NOTE—Furnished with wire outlet in side of pole instead of bottom if desired.

Smaller lengths, 20 to 42 inches, Fig. 492 and 537, 1 inch base is furnished unless otherwise specified.

2½ inch globes furnished unless 3 inch is specified.

"Perko" Flag Pole Light

CAST BRONZE TOP—MAHOGANY POLE

Same pole as Fig. 492, except that top is of cast bronze with 2½ or 3 inch globe, threaded base. Complete with brass ferrule and connector.



Patented

PRICE EACH

Length Overall Inches	Polished Bronze	Nickel Plated	Chromium Plated
20	\$7.25	\$7.60	\$ 8.75
24	7.50	7.85	9.00
30	7.60	7.98	9.10
36	7.75	8.10	9.25
42	7.85	8.20	9.35
48	8.00	8.35	9.50
60	8.25	8.60	9.75
72	8.75	9.10	10.25

NOTE—2½ inch globes furnished unless 3 inch is specified. Furnished with wire outlet in side or bottom of pole. For information on light only, refer to Fig. 498.

Fig. 537

Colored globes (red, green or blue) desired on any of the above pole lights, add \$.75 to above prices.

NOTE—"PERKO" POLES ARE ONE SOLID PIECE OF MAHOGANY, NOT TWO PIECES GLUED TOGETHER.

"Perko" Pole Light Assembly

COMPLETE WITH FLAG POLE SOCKET AND ELECTRIC CONNECTIONS IN POLE AND SOCKET

Insert pole in socket and electric connection is complete. No wires exposed, no springs to corrode. A real positive hook-up, unaffected by water or corrosion, connection only is shown on page , Fig. 404. Female end of connector is mortised into base of pole, male end fastened securely in flag pole socket. Brass ferrule on base of pole, brass light on top as Fig. 491.



Patented

Length Overall Inches	Diam. Base of Pole Inches	Weight Complete Lbs.
20	1 or 1¼	2
24	1 or 1¼	2¼
30	1 or 1¼	2¼
36	1 or 1¼	2½
42	1 or 1¼	2¾
48	1¼	3
60	1¼	3½
72	1¼	3¾

PRICE EACH

Length Overall Inches	Polished Brass	Nickel Plated	Chromium Plated
20	\$8.00	\$ 9.00	\$10.25
24	8.25	9.25	10.50
30	8.50	9.50	10.75
36	8.75	9.75	11.00
42	8.85	9.85	11.10
48	9.00	10.00	11.25
60	9.25	10.25	11.50
72	9.50	10.50	11.75


Fig. 590

Can be furnished with cast bronze top. Fig. 498, add \$1.00 to above prices.

"Perko" Pole Light Assembly

COMPLETE WITH FANCY FLAG POLE SOCKET AND ELECTRIC CONNECTIONS IN POLE AND SOCKET

Same as Fig. 590 above, equipped with fancy flag pole socket, 1¼ inch diameter.



Patented

PRICE EACH

Length Overall Inches	Polished Brass	Nickel Plated	Chromium Plated
20	\$ 9.00	\$10.00	\$11.50
24	9.25	10.25	11.75
30	9.50	10.50	12.00
36	9.75	10.75	12.25
42	9.85	10.85	12.35
48	10.00	11.00	12.50
60	10.25	11.25	12.75
72	10.50	11.50	13.00

Can be furnished with cast bronze top. Fig. 498, add \$1.00 to above prices.

2½ inch globes furnished unless 3 inch globe is specified.

Fig. 591



"Perko" Brass Flag Pole

Designed to fit flag pole sockets in our outboard combination lights, such as figures 512, 384, 489, etc.

Height Overall Inches	Diam. Base Inches	Weight Oz.
18	1/2 or 5/8	3 1/2

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$1.00	\$1.20	\$2.00

Please specify diameter base when ordering.

Fig. 495

"Perko" Cruiser Pole Light

FOR LARGE RUNABOUTS AND CRUISERS
Clear fresnel ball globe, threaded base, double contact electric socket, wrought brass base. Complete with 5 ft. waterproof covered wire.



Patented

Outside Diam. Globe Inches	Height Overall Inches	Inside Diam. Neck Inches	Weight Lbs.
3	5 1/4	3/4	1

Fig. 483

For hollow pole



Fig. 508

For solid pole

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$2.50	\$2.75	\$3.50

"Perko" Junior Pole Light

CAST BRONZE

Standard equipment on pole light, Fig. 602.

With fresnel ball globe of small size for outboard motor boats and small runabouts. Opening in globe large enough to take 3 c. p. electric bulb, double contact electric socket and 5 ft. waterproof covered wire.



Fig. 600

For hollow pole



Fig. 601

For solid pole

Patent Pend.

Outside Diam. Globe Inches	Height Overall Inches	Inside Diam. Neck Inches	Weight Oz.
1 3/4	4 1/4	1/2	4

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$2.00	\$2.50	\$3.50	\$2.50

"Perko" Cast Bronze Pole Light

FOR RUNABOUTS AND CRUISERS

Standard equipment on pole light, Fig. 537.

With fresnel ball globe, threaded base, double contact electric socket, cast bronze or nickel silver base, 5 ft. waterproof covered wire.



Patented

Outside Diam. Globe Inches	Height Overall Inches	Inside Diam. Neck Inches	Weight Lbs.
2 1/2 or 3	5	3/4	1

Fig. 484

For hollow pole




Fig. 498

For solid pole

PRICE EACH

Polished Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$3.50	\$3.75	\$4.75	\$3.75

"Perko" Standard Pole Light

FOR OUTBOARD MOTOR BOATS AND RUNABOUTS

Standard equipment on pole lights, Figs. 492, 590, 591. Has clear fresnel ball globe, threaded base, double contact electric socket, wrought brass base. Large opening in globe will take up to 50 c. p. bulb. Complete with 5 ft. waterproof covered wire.



Fig. 491

For hollow pole



Fig. 482

For solid pole

Patented

Outside Diam. Globe Inches	Height Overall Inches	Inside Diam. Neck Inches	Weight Oz.
2 1/2	5	3/4	12

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$2.50	\$2.75	\$3.50

"Perko" Old Style Pole Light

With fresnel globe, threaded brass ferrule, double contact electric socket, 5 ft. waterproof wire.



Outside Diam. Globe Inches	Height Overall Inches	Inside Diam. Neck Inches	Weight Lbs.
3	5 1/2	3/4	1

Fig. 85

For hollow pole.



Fig. 84

For solid pole

PRICE EACH

Polished Brass	Nickel Plated	Chromium Plated
\$2.50	\$2.75	\$3.50

"Perko" Mast Light

CAST BRONZE AND NICKEL SILVER



Fig. 103

Threaded base, fresnel ball globe, cast bronze support and fittings, standard Edison socket (medium screw base). Globe is large enough to take 110 volt, 25 watt lamp. Base of light is threaded for 1/2 inch pipe, standard thread. Rubber gasket insures water-tight fitting.

Height Overall Inches	Height Globe Inches	Outside Diam. Globe Inches	Inside Diam. Globe Inches	Weight Lbs.
5 5/8	2 7/8	3	2 1/4	2

PRICE EACH

Plain Bronze	Pollshed Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$5.00	\$6.00	\$7.00	\$10.00	\$7.00

With colored Globe (red, green or blue), add \$1.00 to above prices.

"Perko" Special Pole Light



Fig. 470

Complete with switch, double contact electric socket, fresnel ball globe, hexagon nut fitted to base threaded 1/8 inch, 1/4 inch, or 3/8 inch iron pipe size. Designed for mounting on pipe to be used as flag pole light. 2 1/2 inch globe furnished unless 3 inch is specified.

When ordering, please specify size of thread. 1/8 inch shipped unless otherwise specified.

Diam. Globe Inches	Height Overall Inches	Weight Oz.
2 1/2 or 3	4 1/2	10

PRICE EACH

Pollshed Brass	Nickel Plated	Chromium Plated
\$2.75	\$3.00	\$3.75

"Perko" Mast Truck and Yardarm Fixture

CAST BRONZE AND NICKEL SILVER



Fig. 104

Threaded base, fresnel ball globe, cast bronze fittings, standard Edison socket (medium screw base). Water-tight stuffing gland on side for wiring, two lugs on bottom for fastening to truck or yardarm, rubber gasket between globe and support. Absolutely water-tight.

Height Overall Inches	Height Globe Inches	Width to Ends of Lugs Inches	Inside Diam. Globe Inches	Weight Lbs.
5 5/8	2 7/8	4 1/4	2 1/4	2

PRICE EACH

Plain Bronze	Pollshed Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$5.00	\$6.00	\$7.00	\$10.00	\$7.00

"Perko" Combination Light

FOR OUTBOARD MOTOR BOATS AND RUNABOUTS
CAST BRONZE AND NICKEL SILVER

Complete with double contact electric socket, red and green fresnel lenses and double contact electric socket.



Fig. 490

Height Inches	Diam. Base Inches	Lens Inches	Flagpole Socket Inches	Weight Lbs.
6	3 1/2	3 3/8 x 3 3/8	1/2	2 1/2

PRICE EACH

Pollshed Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$6.00	\$7.00	\$9.00	\$7.00

"Perko" Mast, Anchor, or Signal Light

CAST BRONZE AND NICKEL SILVER




Fig. 105

Threaded base, fresnel ball globe, cast bronze fittings, standard Edison socket (medium screw base). Water-tight stuffing gland on side for wiring. Bail handles top and bottom for hanging from mast or yardarm. Two of these lights joined together by bottom lugs, one clear and one blue globe, makes a handy meal and absent light.

Height Overall Inches	Width Overall Inches	Inside Diam. Globe Inches	Height Globe Inches	Weight Lbs.
9	4	2 1/4	2 7/8	2 1/2

PRICE EACH

Plain Bronze	Pollshed Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$9.00	\$10.50	\$12.00	\$17.00	\$12.00

With colored Globe (red, green or blue), add \$1.00 to above prices.

"Perko" Combination Light and Bitt


CAST BRONZE AND NICKEL SILVER

One solid casting throughout. A good substantial bitt. Contains our patented rebulbing feature, as illustrated.

IT IS NOT NECESSARY TO REMOVE LAMP FROM DECK TO CHANGE BULB.



Fig. 510



Rear view showing method of changing bulb

Height Inches	Base Inches	Lens Inches	Flagpole Socket Inches	Weight Lbs.
5 5/8	4 7/8 x 4 7/8	2 1/2 x 3	7/8	8 1/2

PRICE EACH

Pollshed Bronze	Nickel Plated	Chromium Plated	Nickel Silver
\$8.00	\$9.00	\$12.00	\$9.00



"PERKO" ELECTRIC MARINE HORNS

WATERTIGHT—SPLASH PROOF—6, 12 OR 32 VOLTS

These horns are of the highest quality of materials and are especially designed for marine use. A loud, penetrating tone quality superior to any other horn on the market. The "mile-away" and "clear-way" models were developed especially for the U. S. Navy and Coast Guard requirements and are the only American-made horns that pass these requirements. The tone quality of these horns is governed by the remarkable simplicity of construction and the quality of the diaphragm which is of chrome vanadium spring steel.

Clear-Way Horn

All brass, highly polished or chromium plated, furnished complete with push button and cast deck bracket.



Fig. 73

Length Overall Inches	Height Overall Inches	Diam. Base Inches	Weight Lbs.
13	7 1/4	3 3/8	3 1/4

PRICE EACH

Polished Brass	\$10.00
Chromium Plated	13.00
For 32 volt equipment, add	3.00

Mile-Away Horn

All brass, highly polished or chromium plated. Furnished complete, with push button and cast deck bracket.




Fig. 75

Length Overall Inches	Height Overall Inches	Diam. Base Inches	Weight Lbs.
15 3/4	8 1/2	3 3/8	4 3/4

PRICE EACH

Polished Brass	\$21.00
Chromium Plated	25.00
For 32 volt equipment, add	3.00

Marine Lighting Bulbs

Speed-Way Horn

All steel, black enameled, watertight and splash proof. Made for marine use, furnished with deck bracket.



Fig. 74

Length Overall Inches	Height Overall Inches	Diam. Base Inches	Weight Lbs.
11 3/4	7	3 1/2	2 1/2

PRICE EACH

Black Enameled	\$5.00
For 32 volt equipment, add	3.00

D. C. Base

Medium Base

SIZES

- S-8—1" x 2"
- G-10 D. C. Base 1 1/4" x 2 3/8"
- G-10 Med. Base 1 1/4" x 2 3/8"
- G-16 1/2 D. C. Base 2 1/8" x 3"
- G-16 1/2 Med. Base 2 1/8" x 3 1/8"



Fig. 76



Fig. 77

Volts	C. P.	Bulb	Price Each	
			D. C. Base	Medium Base
6	8	G-10	\$.60
6	15	G-16 1/260
6	15	S-8	\$.30
6	15	G-16 1/2	.60
6	25	G-16 1/265
12	15	G-16 1/2	.60	.60
12	15	S-8	.40
12	25	G-16 1/2	.70	.70
32	6	G-10	.65	.75
32	15	G-16 1/2	.80	.85
32	25	G-16 1/2	.80	.85

For frosted or colored bulbs, add \$.05 each.



THIS BOOKLET NO. 53 - - -
DOES NOT INCLUDE ALL ITEMS
MANUFACTURED BY -
PERKINS MARINE LAMP CORP. -
BUT CONSISTS OF PAGES AND
PART PAGES TAKEN FROM GEN-
ERAL CATALOGUE NO. 50.